



COMPONENT
HARDWARE®



EUROPE CATALOG

Your Global Partner for Innovative Solutions

SEE OUR CATALOGUE SECTIONS FOR ALL OUR OTHER HIGH QUALITY PRODUCTS:



CONCEPT & FEASIBILITY STUDIES, 3D MODELLING & RENDERING (SOLIDWORKS), AND RAPID PROTOTYPING (3D-PRINTER ON SITE) ARE JUST A FEW EXAMPLES OF THE COMPREHENSIVE ENGINEERING SERVICES THAT COMPONENT HARDWARE GROUP OFFERS TO ITS CUSTOMERS

CHG HAT UMFASSENDE TECHNISCHE FÄHIGKEITEN FÜR IHNEN VERFÜGBAR, WORUNTER:
KONZEPT UND DURCHSETZBARKEITSPRÜFUNG/3D MODELLIERUNG & RENDERING (SOLIDWORKS) /
RAPID PROTOTYPING (3D-DRUCKER VERFÜGBAR)

CHG VOUS OFFRE DES SERVICES D'INGÉNÉRIE COMPLETS PARMI LESQUELS DES ÉTUDES DE
CONCEPT ET FAISABILITÉ / LE MODELAGE 3D ET RENDU AVEC SOLID WORKS, PROTOTYPAGE
RAPIDE (À L'IMPRESSION 3D)

CHG KAN U UITGEBREIDE ENGINEERING CAPACITEITEN AANBIEDEN, WAARONDER: CONCEPT &
HAALBAARHEID STUDIES / 3D MODELLEREN & RENDERING (SOLIDWORKS)/ RAPID PROTOTYPING
(3D PRINTER BESCHIKBAAR)

© COPYRIGHT 2023, COMPONENT HARDWARE GROUP, INC. REV. 08/23

All photographs and illustrations are considered to be a representation of the actual item. In some cases there may be slight variations. This catalog, copy, part numbers and unique method of illustrating products is copyrighted by Component Hardware Group. All rights reserved. No portion of this catalog may be reproduced in any form or by any means in whole or in part, without the written consent of Component Hardware. Component Hardware reserves the right to make any and all changes and to discontinue any of its products without notice. Not responsible for typographical errors.

TABLE OF CONTENTS

TABLE OF CONTENTS	1
INTRODUCTION	2-5
WORK TABLES	6-9
• EQUIPMENT LEGS	7-9, 27
PLUMBING COMPONENTS	10-15
CAFETERIA COMPONENTS	16-19
CABINET HARDWARE	20-25
ORIGINAL EQUIPMENT MANUFACTURING	26-32
• HINGES	29
CANOPY HOOD	33-35
INDEX	36-37

SYMBOLS EXPLAINED

DIAMETER	∅
WIDTH	↔
HEIGHT	↕
VERTICAL ADJUSTMENT	↕↕
HORIZONTAL ADJUSTMENT	↔↔
WEIGHT	⚖
ELECTRICAL	⊕
BATTERY	🔋

NOTE: All dimensions are in MM.

COMPONENT HARDWARE

ABOUT US

Since 1981, Component Hardware Group, has been producing specialised components and unique solutions. Component hardware Group is a market leader with strong engineering, global manufacturing, and distribution skills.

Serving the foodservice, healthcare, hospitality, commercial, and institutional markets; providing the best casting, forging, stamping, machining, injection moulding, extruding, fabrication, and custom sub-assembly solutions in the market; and a wide range of commercial plumbing products, kitchen exhaust system components, fabrication hardware, and refrigeration hardware.

WHY YOU SHOULD CHOOSE COMPONENT HARDWARE GROUP

A dependable and respected supply partner who is supporting customers by providing solutions that save time, money and reduce worry.

To keep your manufacturing lines operating smoothly and efficiently, Global Supply Chain provides timely delivery of high-quality items wherever you may need them. Our diligent Quality Assurance team ensures that the products we supply meet or exceed applicable market standards and regulatory criteria.

Capability to design and construct specialised or proprietary components and subassemblies on a budget for projects of all sizes.

Complete design and customization flexibility is made possible by the world's engineering and manufacturing capabilities, which include machining, metal forming, forging, stamping, die and sand casting, plastic injection moulding, extruding, fabrication, and subassembly processes.

Our virtual manufacturing strategy allows us to own our product designs and tooling without incurring the exorbitant costs associated with owning the actual production facilities. Comprehensive product catalogue of over 9,000 products, including specialty and customer-proprietary items.

WHERE WE ARE

The EMEA Sales and Operations office and warehouse are located in Breda, the Netherlands.

Headquartered in Matawan, NJ, USA with operations and sales offices located throughout the United States, Canada, and Asia.

Our international distribution network ensures timely delivery of quality products to virtually any location in the world.

For further information, please visit our web site at: www.componenthardware.eu

Follow us on LinkedIn, Facebook and Instagram



Breda, Netherlands



Matawan, New Jersey



Columbus, Ohio



Fullerton, California



Dallas, Texas



Markham, Ontario

Innovative Engineering

Strategic Solutions Provider: Whether it is a whole concept design or just small design tweaks to an existing product, our committed team covers your engineering and manufacturing needs from start to end. With a full staff of trained mechanical and electrical engineers, we can create one-of-a-kind custom solutions and provide thorough customer product design support with on-site design and technical help. Our customers keep coming back because of our consultative design, reverse engineering ability, quick project/quote turnaround, value engineering for cost reduction, and multiple patented and trademarked goods.

Our team of SolidWorks 3-D CAD certified experts utilizes 3-D rapid prototype modelling to assist a smooth transition from idea to concept to prototype to production as quickly and inexpensively as feasible.

Global Regulatory Compliance: Our engineers collaborate with external testing organisations to ensure that your goods meet or surpass all regulatory standards, including as NSF, UL, CE, WRAS, NFPA, MOCA and RoHS.



Supply Chain Optimization

Strategic Warehousing: We make a significant investment in inventory so that our partners don't have to. We are dedicated to making sure we always have the necessary high-quality finished parts on our shelves to advance your production.

With dedicated warehouses in Europe, the United States and Canada, Component Hardware Group has a storage capacity of over 85,000 square meters, globally.

Global Distribution Network: Our network of distributors across the world ensures a continuous supply of goods, getting you what you need when you need it.

International Logistics: Wherever your facilities may be situated, our expert staff will ensure the efficient, prompt delivery of your products.

Custom Subassemblies

We offer a range of possibilities in the realm of technical engineering. Subassemblies can be designed and manufactured independently, allowing for streamlined production processes and facilitating rapid assembly. This modular approach enhances scalability and adaptability, enabling system upgrades and modifications with minimal disruptions. By harnessing the power of subassemblies, engineers can optimize design, improve reliability, and accelerate the development of complex technical systems.



GLOBAL MANUFACTURING CAPABILITIES

Forging

The term “forging” refers to the oldest metalworking technique known to man, which involves applying small, localised compressive stresses on metal to shape it.

Cold forging is carried out at or very close to room temperature. High temperatures are used in hot forging, which makes metal simpler to shape and less prone to fracture. Warm forging is carried out at a temperature that lies between ambient and hot forging temperatures. Sizes of forged pieces can range from 50 grams to 1500 grams. To get a completed item from a forged part, additional processing is typically necessary. A high strength-to-weight ratio can be achieved through forging, which produces metal that is stronger than cast or machined metal components.



Die Casting


Engineers use extreme pressure to push molten metal into a steel mould during the die casting process. Depending on the size of the corresponding mould, the machines' sizes vary.

Depending on the size and weight of the components, a die casting process can take a while to complete. The quickest method for creating precise, high-quality, non-ferrous metal parts is die casting.




Sand Casting

Sand is used as the mould material in the metal casting technique known as sand casting, often referred to as sand moulded casting. The phrase “sand casting” can also be used to describe an item made using the sand-casting technique. Foundries are specialised enterprises where sand castings are made.



Investment Casting

In the industrial process known as investment casting or lost wax casting, a refractory ceramic substance is utilized to cover a wax pattern. Once the ceramic material has fully hardened, its geometry adopts the shape of the casting. Melted wax is poured into the cavity of the wax pattern after being released from the mould and molten metal. Accurate components may be produced repeatedly by investment casting.



Stamping

With stamping, sheet metal can be formed using a variety of production techniques, such as punching with a stamping press, bending, embossing, or coining. Sheet metal and several other materials, such as polystyrene, can both be stamped. Multiple cutting and shaping operations happen simultaneously during a progressive die stamping process. Cold-rolled commercial steel and various grades of stainless steel are frequently utilised materials in progressive die stamping. Additionally, tooling is typically affordable with Component Hardware Group.



GLOBAL MANUFACTURING CAPABILITIES



Machining

Component Hardware Group divide the machining processes into the following categories: milling, turning, tapping, threading, and drilling. While drilling operations employ revolving cutters to create and perfect holes, these procedures use milling machines to cut workpieces. Male and female mating pairs are created or destroyed by the threading and tapping processes. These processes are all crucial and support the production of our commercial kitchen components.



Plastic Injection Molding & Extruding

The method of plastic injection moulding creates both thermosetting and thermoplastic polymers. High pressure injection of molten plastic into a mould that is typically the opposite of the product's shape is required. Then, metal is used to construct moulds by tool or mould makers who employ aluminium or steel to precisely form the required features. ABS Nylon, polystyrene, polypropylene, PVC, and polyethylene are materials that are frequently utilised.



Wire Forming

Metal forming, also known as wire forming or fabrication, is the process of bending and stamping wires into manufactured forms to produce a variety of goods. Wire racks, hooks, speciality pins, springs, clips, and other personalised goods are typical products. Our engineers carry out manual or CNC-powered wire shaping operations.

When stamping, a sheet of metal is put into a stamping machine in coil or blank form. A tool and the die surface combine to create a net-shaped result during the process. Stainless steel in various grades, commercial steel, and cold-rolled steel are among the materials frequently utilised.




Plating & Powder Coating

This is the general term for methods of surface-covering that entail depositing metal into a conductive surface. Electroplating stops faucets, hinges, and electronic equipment from corroding. It affects product characteristics including conductivity, paint adhesion, shielding, and wearability. We are experts in electroplating, chrome plating, nickel plating, and zinc plating. Applying a characteristic dry powder coating known as powder coating entails keeping the filler components and binder in a liquid state without the use of a solvent. The powder is electrostatically applied by engineers, who then heat-cure it to form a coating. This results in a more durable finish compared to conventional plating.



WORK TABLES



- ✓ INSERT FEET ARE AVAILABLE IN A WIDE VARIETY OF SIZES FOR SQUARE AND ROUND TUBES
- ✓ COMES IN A GREAT VARIETY OF FINISHES, PLASTIC, ZAMAK, NICKEL PLATED AND STAINLESS STEEL
- ✓ A SUBSTANTIAL RANGE OF ADJUSTABLE INSERT LEGS
- ✓ NSF CERTIFIED MODELS AVAILABLE
- ✓ AVAILABLE FROM STOCK

- ✓ STELPOTEN VERKRIJGBAAR VOOR MEERDERE AFMETINGEN, VOOR RONDE EN VIERKANTE BUIZEN
- ✓ VERKRIJGBAAR IN VERSCHILLENDE MATERIALEN; PLASTIC, ZAMAK, VERCHROOMD EN RVS
- ✓ EEN UITGEBREIDE RANGE IN HOOGTE VERSTELBARE POOTJES
- ✓ NSF GECERTIFICEERDE MODELLEN VERKRIJGBAAR
- ✓ UIT VOORRAAD LEVERBAAR

- ✓ EINSCHLAGFÜSSE SIND ERHÄLTICH IN VIELEN VERSCHIEDENEN GRÖSSEN, FÜR RUND- UND VIERKANT ROHRE
- ✓ VERFÜGBAR IN UNTERSCHIEDLICHEN MATERIALIEN WIE ZAMAK, KUNSTSTOFF, EDELSTAHL UND VERNICKELT
- ✓ DER WESENTLICHE BEDARF AN EINSCHLAGFÜSSEN WIRD ABGEDECKT
- ✓ NSF ZERTIFIZIERTE MODELLE SIND ERHÄLTICH
- ✓ LAGERWARE, DAHER KURZFRISTIG VERFÜGBAR

INP SERIES



INSERT FOOT, PLASTIC

EINSCHLAGFUSS, KUNSTSTOFF

VERINS POUR TUBES CARRÉS

STELPOOT, KUNSTSTOF

*OTHER COLORS AVAILABLE

ITEM	Ø	↔	↕	⏏	⏏	⏏
INP 030 H	30	30	22	32		150
INP 035 H	35	35	32	36		175
INP 035 H-SC	35	35	32	36		175
INP 040 H	40	40	32	36		300
INP 040 H-SC	40	40	32	36		300

IN - H SERIES



INSERT FOOT, ZAMAK, NICKEL PLATED, TUBE THICKNESS 1.2 TO 1.5MM

EINSCHLAGFUSS, VERZINKT, ZAMAK, WANDSTÄRKE 1.2 TO 1.5MM

VERINS POUR TUBES CARRÉS, GALVANISÉS, CHROMÉS, POUR ÉPAISSEUR DE TUBE DE 1.2 À 1.5 MM

STELPOOT, VERZINKT, VERNIKKELD, WAND DIKTE 1.2 TO 1.5MM

ITEM	Ø	↔	↕	⏏	⏏	⏏
IN 025	25	25	20	30		450
IN 025-NP	25	25	20	30		450
IN 030 H	30	30	30	30		500
IN 030 H-NP	30	30	30	30		500
IN 035 H	35	35	25	30		500
IN 035 H-NP	35	35	25	30		500
IN 040 H	40	40	35	30		1250
IN 040 H-2 (2MM)	40	40	35	30		1250

IN - F SERIES



INSERT FOOT WITH FLANGE, ZAMAK, NICKEL PLATED

EINSCHLAGFUSS MIT FLANSCH, VERZINKT, ZAMAK

VERINS POUR TUBES CARRÉS, GALVANISÉS

STELPOOT MET FLENS, VERZINKT, VERNIKKELD

ITEM	Ø	↔	↕	⏏	⏏	⏏
IN 030 F	30	30	20	30		500
IN 030 F-NP	30	30	20	30		500
IN 035 F	35	35	20	30		500
IN 030 F-SP30	30	30	20	32		500
IN 030 F-SP50	30	30	20	50		500
IN 040 F	40	40	31	31		1250
IN 035 F-NP	35	35	20	20		500
IN 040 F-NP	40	40	31	31		1250

IN - HSS SERIES



INSERT FOOT, NICKEL PLATED, STAINLESS STEEL

EINSCHLAGFUSS, VERNICKELT, EDELSTAHL

VERINS POUR TUBES, GALVANISÉS, INOX

STELPOOT, VERNIKKELD, RVS

ITEM	Ø	↔	↕	⏏	⏏	⏏
IN 030 H-SS	30	30	25	30		450
IN 035 H-SS	35	35	25	30		500
IN 040 H-SS	40	40	35	30		1250
IN 040 H-SS-2	40	40	35	30		1250

WORK TABLES

IN & INR SERIES



INSERT FOOT, SQUARE OR ROUND, ZAMAK WITH OR WITHOUT FLANGE, NICKEL PLATED OR S/S

STELLFUSS, 4-ECKIG ODER RUND, ZAMAK, MIT ODER OHNE FLANGE, NICKEL ODER EDELSTAHL

VERINS CARRÉ OU ROND, ZAMAK NICKELÉ, EMBOUT INOX AVEC OU SANS FLANGE

STELPOOT, VIERKANT OF ROND, ZAMAK MET EN ZONDER FLENS, VERNIKKELD OF RVS

ITEM	SQUARE, 4-ECKIG, CARRÉ, VIERKANT					
	Ø	↔	↕	⊥	⊥	⊥
IN 040 F-SS		40	40	30		1250
IN 040 F-SS50		40	40	30		1250
	ROUND, RUND, ROND, ROND					
INR 040 F-SS	40		40	30		1100
INR 040 F-SS50	40		40	30		1100
INR 040 H-NP	40		35	35		1100
INR 040 H-SS	40		35	35		1100

A59 SERIES



EQUIPMENT LEG, STAINLESS STEEL, M10

ANSCHRAUBFUSS, EDELSTAHL, M10

PIED RÉGLABLE, INOX, M10

STELPOOT, RVS, M10

*MOUNTING PLATE

NOTE: OTHER CONFIGURATIONS AVAILABLE ON REQUEST

ITEM	Ø	↕	⊥	⊥	⊥
A59-1000*	59	120/150	30		700
A59-1100*	59	120/180	60		700
A59-1150	59	120/180	60		700
A59-1250	59	120/180	30		700
A59-0090	59	100/160	60		700
A59-1150	59	120/180	60		700
A59-1650	59	160/255	95		700

A65 SERIES



EQUIPMENT LEG, STAINLESS STEEL, M10

ANSCHRAUBFUSS, EDELSTAHL, M10

PIED RÉGLABLE, INOX, M10

STELPOOT, RVS, M10

*MOUNTING PLATE

NOTE: OTHER CONFIGURATIONS AVAILABLE ON REQUEST

ITEM	Ø	↕	⊥	⊥	⊥
A65-2000	65	120/150	30		700
A65-2100	65	120/180	60		700
A65-2200	65	120/150	30		700
A65-2300	65	120/180	60		700
A65-2000-IT*	65	120/150	30		700
A65-2400*	65	155/205	50		700
A65-2600-IT*	65	140/240	100		700
A65-2700*	65	155/205	50		700

CUSTOM LEGS



CUSTOM LEGS AVAILABLE ON REQUEST IN ANY CONFIGURATION REQUIRED

MASSGESCHNEIDERTANSCHRAUBFÜSSEAUFRAGEINJEDER ERFORDERLICHEN KONFIGURATION VERFÜGBAR


TAILLEURSPÉCIFIQUEPIEDRÉGLABLEDISPONIBLESURDEMANDE DANS TOUTE CONFIGURATION REQUISE

STELPOTENINIEDERESPECIFIEKECONFIGURATIEOPAANVRAAG VERKRIJGBAAR

CONTACT US WITH YOUR REQUEST

INA 030, 040 SERIES 	INSERT FOOT, ALUMINIUM EINSCHLAGFUSS, ALUMINIUM VERINS POUR TUBES CARRÉS ALUMINIUM STELPOOT, ALUMINIUM	<table><tr><th>ITEM</th><th colspan="6">SQUARE, 4-ECKIG, CARRÉ, VIERKANT</th></tr><tr><th></th><th>Ø</th><th>↔</th><th>↕</th><th>⌈⌋</th><th>⌈⌋</th><th>⌈⌋</th></tr><tr><td>INA 030 F</td><td>30</td><td>30</td><td>22</td><td>33</td><td></td><td>1000</td></tr><tr><td>INA 030 H</td><td>30</td><td>30</td><td>17</td><td>33</td><td></td><td>1000</td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>INA 040 F</td><td>40</td><td>40</td><td>28,5</td><td>31,5</td><td></td><td>1000</td></tr><tr><td>INA 040 H</td><td>40</td><td>40</td><td>31</td><td>31</td><td></td><td>1000</td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	SQUARE, 4-ECKIG, CARRÉ, VIERKANT							Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋	INA 030 F	30	30	22	33		1000	INA 030 H	30	30	17	33		1000								INA 040 F	40	40	28,5	31,5		1000	INA 040 H	40	40	31	31		1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
ITEM	SQUARE, 4-ECKIG, CARRÉ, VIERKANT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
INA 030 F	30	30	22	33		1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
INA 030 H	30	30	17	33		1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
INA 040 F	40	40	28,5	31,5		1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
INA 040 H	40	40	31	31		1000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A48, 50 SERIES  *	EQUIPMENT LEG, STAINLESS STEEL , M12 ANSCHRAUBFUSS, EDELSTAHL , M12 PIED RÉGLABLE, INOX , M12 STELPOOT, RVS, M12 *ALL A48, 50 MODELS CAN BE PLATED MOUNTED BY FITTING THE MP1/SS ON TOP.	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>⌈⌋</th><th>⌈⌋</th><th>⌈⌋</th></tr><tr><td>A48-5032-M</td><td>41</td><td></td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A48-5048-M</td><td>41</td><td></td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>A50-5032-M</td><td>41</td><td>STUD</td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A50-5048-M</td><td>41</td><td>STUD</td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>MP1/SS*</td><td></td><td colspan="2">102 x 80</td><td></td><td></td><td></td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋	A48-5032-M	41		100	44		900	A48-5048-M	41		150	44		900	A50-5032-M	41	STUD	100	44		900	A50-5048-M	41	STUD	150	44		900	MP1/SS*		102 x 80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A48-5032-M	41		100	44		900																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A48-5048-M	41		150	44		900																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A50-5032-M	41	STUD	100	44		900																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A50-5048-M	41	STUD	150	44		900																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
MP1/SS*		102 x 80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
A84, 86 SERIES  *	EQUIPMENT LEG, STAINLESS STEEL , M12 ANSCHRAUBFUSS, EDELSTAHL , M12 PIED RÉGLABLE, INOX , M12 STELPOOT, RVS, M12 *ALL A84, 86 MODELS CAN BE PLATED MOUNTED BY FITTING THE MP1/SS ON TOP.	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>⌈⌋</th><th>⌈⌋</th><th>⌈⌋</th></tr><tr><td>A84-5032-M</td><td>50</td><td></td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A84-5048-M</td><td>50</td><td></td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>A86-5032-M</td><td>50</td><td>STUD</td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A86-5048-M</td><td>50</td><td>STUD</td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>MP1/SS*</td><td></td><td colspan="2">102 x 80</td><td></td><td></td><td></td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td> </td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋	A84-5032-M	50		100	44		900	A84-5048-M	50		150	44		900	A86-5032-M	50	STUD	100	44		900	A86-5048-M	50	STUD	150	44		900	MP1/SS*		102 x 80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A84-5032-M	50		100	44		900																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A84-5048-M	50		150	44		900																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A86-5032-M	50	STUD	100	44		900																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A86-5048-M	50	STUD	150	44		900																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
MP1/SS*		102 x 80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
CASTERS 	CASTERS FOR YOUR APPLICATION, WIDE RANGE AVAILABLE BRAKED AND UNBRAKED, SWIVEL OR FIXED, PLATE OR (EXPANDING) STEM ROLLENFÜHRANWENDUNG, GROSSE AUSWAHL VERFÜGBAR. GEBREMST UND UNGEBREMST, DREHBAR ODER FESTSTEHEND, PLATTE ODER (SPREIZ-) VORBAU ROUES POUR VOTRE APPLICATION, LARGE GAMME DISPONIBLE. FREINÉS ET NON FREINÉS, PIVOTANTS OU FIXES, À TÔLE OU À TIGE (EXPANSIBLE) WIELEN VOOR UW TOEPASSING, BREED ASSORTIMENT BESCHIKBAAR. GEREMD EN ONGEREMD, DRAAIBAAR OF VAST, PLAAT OF (UITZETTENDE) STEEL SEE PAGE 17	<table><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td></tr></table>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

PLUMBING COMPONENTS



- ✓ ALL FAUCETS AND PRE-RINSES ARE NSF LISTED
- ✓ FAUCETS AND PRE-RINSES ARE INDIVIDUALLY PRESSURE TESTED TO 400 PSI
- ✓ ALL FAUCETS AND PRE-RINSES ARE MANUFACTURED IN SOLID BRASS AND ARE MULTIPLE CHROME PLATED
- ✓ PRE-RINSES COME WITH A NYLON-REINFORCED SANTOPRENE® INNER HOSE FOR MAXIMUM DURABILITY
- ✓ IMMEDIATE SHIPMENT FROM STOCK IS ASSURED


- ✓ KRANEN EN VOORSPOELDOUCHES ZIJN NSF GELICENSEERD
- ✓ ELKE KRAAN EN VOORSPOELDOUCHE ONDERGAAT STANDAARD EEN DRUKTEST TOT 400 PSI
- ✓ ALL KRANEN EN VOORSPOELDOUCHES WORDEN GEFABRICEERD UIT MASSIEF BRONS EN MEERVOUDIG VERCHROOMD
- ✓ DE VOORSPOELDOUCHES HEBBEN EEN NYLON VERSTERKTE SANTOPRENE BINNENSLANG VOOR EEN MAXIMALE LEVENSDUUR
- ✓ LEVERING UIT VOORRAAD GEGARANDEERD

- ✓ ARMATUREN UND GESCHIRRWASCHBRAUSEN SIND NSF LIZENZIERT
- ✓ ALLE ARMATUREN UND GESCHIRRWASCHBRAUSEN SIND DRUCKGEPRÜFT BIS 400PSI
- ✓ ALLE ARMATUREN UND GESCHIRRWASCHBRAUSEN SIND AUS MASSIVEM MESSING GEFERTIGT UND MEHRFACH VERCHROMT
- ✓ GESCHIRRWASCHBRAUSEN SIND MIT NYLON VERSTÄRKTEM SCHLAUCH AUS SANTOPRENE AUSGESTATTET, DAS GARANTIERT MAXIMALE LEBENSDAUER
- ✓ SCHNELLE LIEFERUNG AUS LAGERVORRAT IST GEWÄHRLEISTET



PLUMBING COMPONENTS

KL50, 56, 60, 66 SERIES 	ENCORE, DECK MOUNT PRE-RINSE UNIT, WITH AND WITHOUT ADD-ON FAUCET, 10 MM WATER CONNECTIONS ENCORE GESCHIRRSPÜLBRAUSE MIT UND OHNE SCHWENKAUSLAUF, 10 MM WASSERANSCHLUSS ENCORE DOUCHETTES DE PRÉLAVAGE, MONO-TROU, MONTAGE SUR TABLE, SANS ET AVEC ROBINET INTERMÉDIAIRE, 10 MM CONNECTION ENCORE VOORSPOELDOUCHE, ENKELGAT, TAFELMODEL, 10 MM WATER AANSLUITINGEN	ITEM KL50-1100-BS KL50-1155-BS10 KL50-MINI-EU *KL55-7008 *KL55-7010 *KL55-7012	Ø 38 38 203 254 305	↔ 380 380 242 203 254 305	↕ 1009 1009 716 219 230 242	↙ 	↘ 	↻
KL53 SERIES 	ENCORE WALL MOUNT DOUBLE HOLE PRE-RINSE UNIT WITH AND WITHOUT ADD ON FAUCET ENCORE GESCHIRRWASSCHBRAUSE DOPPELLOCH WAND MODEL, MIT UND OHNE SCHWENKAUSLAUF ENCORE DOUCHETTES DE PRÉLAVAGE, BI-TROU, FIXATION MURALE, SANS ET AVEC ROBINET INTERMÉDIAIRE ENCORE, VOORSPOELDOUCHE DUBBELGATS WANDMODEL, MET EN ZONDER TUSSENKRAAN	ITEM KL53-1000-BS KL53-1020-BS KL53-1000-AF3MK *KL55-7008 *KL55-7010 *KL55-7012	Ø 448 468 448 203 254 305	↔ 902 902 1009 203 254 305	↕ 902 902 1009 219 230 242	↙ 	↘ 200 150 	↻
TOP-LINE SERIES 	TOP-LINE, DECK MOUNT PRE-RINSE UNIT, WITHOUT ADD ON FAUCET, 10 MM WATER CONNECTIONS TOP-LINE GESCHIRRSPÜLBRAUSE OHNE SCHWENKAUSLAUF, 10 MM WASSERANSCHLUSS TOP-LINE DOUCHETTES DE PRÉLAVAGE, MONO-TROU MONTAGE SURTABLE, SANS ROBINET INTERMÉDIAIRE, 10MM CONNECTION TOP-LINE VOORSPOELDOUCHE, ENKELGAT, TAFELMODEL, 10 MM WATER AANSLUITINGEN	ITEM TLL50H1100-AF3 TLL50-1100-BRZ	Ø 380 380	↔ 380 380	↕ 1076 1076	↙	↘	↻
KL51 SERIES 	ENCORE, DOUBLE PANTRY FAUCET, WITH SWIVEL AND DOUBLE JOINTED SPOUTS ENCORE DOPPELMISCHARMATUR MIT SCHWENKBAREM AUSLAUF ENCORE ROBINET PROFESSIONEL, MONO-TROU POUR TABLE, ROTATION COMPLÈTE AVEC COL DE CYGNE ENCORE PROFESSIONELE KRAAN, ENKELGAT, TAFELMODEL, ZWENKBARE UITLOOP, 10 MM WATER AANSLUITING AVAILABLE WITH DIFFERENT SPOUT STYLES	ITEM KL51-9106 KL51-9108 KL51-9110 KL51-9112 KL51-9114 KL51-9116 KL51-9118	Ø 38 38 38 38 38 38 38	↔ 152 203 254 305 356 406 457	↕ 211 224 235 246 257 268 255	↙	↘	↻


PLUMBING COMPONENTS

KL54 SERIES 	ENCORE, WALL MOUNT FAUCET WITH SWING SPOUT ENCORE WAND MONTAGE DOPPELMISCHARMATUR MIT SCHWENKBAREM AUSLAUF ENCORE ROBINET PROFESSIONEL, BI-TROU FIXATION MURALE, ROTATION COMPLÈTE AVEC COL DE CYGNE ENCORE PROFESSIONELE KRAAN, DUBBELGATS VERSTELBAAR, ZWENKBARE UITLOOP	ITEM KL54-8006 KL54-8008 KL54-8010 KL54-8012 KL54-8014 KL54-8016 KL54-8018	$\varnothing$ 152 203 254 305 356 406 457	$\leftrightarrow$ 141 154 165 176 187 200 210				
KL61 SERIES 	ENCORE 8" DOUBLE DECK MOUNT FAUCET WITH SWIVEL SPOUT ENCORE 8" DOPPELMISCHARMATUR MIETSCHWENKBARENAUSLAUF ENCORE 8" ROBINET PROFESSIONEL, BI-TROU POUR TABLE, ROTATION COMPLÈTE AVEC COL DE CYGNE ENCORE 8" PROFESSIONELE KRAAN, DUBBELGATS VERSTELBAAR, TAFELMODEL, ZWENKBARE RECHTE UITLOOP * ALSO AVAILABLE IN 4,6 AND 7" BODY WIDTH.	ITEM KL61-8006 KL61-8008 KL61-8010 KL61-8012 KL61-8014 KL61-8016-SE1 KL61-8018	$\varnothing$ 152 203 254 305 356 406 457	$\leftrightarrow$ 207 219 230 243 197 265 278				
THE ULTIMATE TOUCH FREE HANDWASH SOLUTION 	INDUSTRY FIRST – 750,000 CYCLE BATTERY LIFE (375,000 HAND WASHES) ENERGY-EFFICIENT "LATCHING" (BI-STABLE) SOLENOID ONLY USES POWER TO OPEN OR CLOSE AUTO-RANGING FEATURE AUTOMATICALLY ADJUSTS SENSING RANGE ARMORED/VANDAL-RESISTANT DC INPUT POWER CABLE (2) 18" BRAIDED STAINLESS STEEL SUPPLY LINES INCLUDED DC MODELS POWERED WITH (4) 1.5V AA BATTERIES (INCLUDED) INFRARED SENSOR ACTIVATED SELF-ADAPTING SENSOR DISTANCE ADJUSTMENT 1 SECOND SHUT-OFF DELAY 20 SECOND ADJUSTABLE AUTOMATIC TIME-OUT FEATURE (COMPLIES WITH FDA FOOD CODE) ADJUSTABLE RANGE OF ACTION	ITEM KE24-B031-CA0 KE24-B131-CA0 KE24-B031-CB0 KE24-B131-CB0 KE25-B031-CA0 KE25-B131-CA0 KE25-B031-CB0 KE25-B131-CB0						
KHR SERIES 	HOSE REELS, GRAY POWDER COATED (A) AND STAINLESS STEEL (B) SCHLAUCHAUFWOLLER, GRAU PULVERBESCHICHTET UND EDELSTAHL DÉVIDOIR MURAL, COUCHE DE PEINTURE EN POUDRE OU EN INOX SLANGHASPELS, GECOAT (A) EN RVS (B)  10 METERS/15 METERS	ITEM KHR-5635-O KHR-5635-OSS KHR-5635-E KHR-5635-ESS	$\varnothing$ 368 368 470 470	$\leftrightarrow$ 349 349 381 381	$\updownarrow$ 	$\updownarrow$ 	$\updownarrow$ 	$\updownarrow$

PLUMBING COMPONENTS

K27-1000 	WATER STATION FILLER, CHROME PLATED, STAINLESS STEEL WASSERSTATION GLASFÜLLER, VERCHROMT EDELSTAHL STATION D'EAU AVEC ROBINET COLONNE, INOX WATERSTATION GLASVULLER, VERCHROOMD RVS 	ITEM K27-1000 K27-Y001 KL26-5000 KL26-0010-Z	Ø↔↕↕↺↻ 356305248 SINK WITH GRID GLASS FILLER REPAIR KIT
K30-1010 	DIPPERWEL ASSEMBLY WITH FAUCET, STAINLESS STEEL PORTIONIERERSPÜLE MIT AUSLAUFHAHN, EDELSTAHL RINCE DOSEUR AVEC ROBINET, INOX IJSLEPELBAK MET KRAAN, RVS 	ITEM K30-1010 K30-1000 K30-Y001 K30-Y002 KL22-3100-Z	Ø↔↕↕↺↻ 180166 WITHOUT FAUCET INNER SHELL OUTER SHELL DIPPERWELL FAUCET
D50 SERIES 	TWIST HANDLE WASTE OUTLET WITH FLAT STRAINER ABLAUFVENTIL SPUHLBECKEN MIT GEBOGENEM HEBEL MIT FLACHEM SIEB EVACUATION D'ÉVIER AVEC LEVIER ROTATIVE AFVOER SPOELBAK MET GEBOGEN DRAAIHENDEL MET VLAKKE ZEEF ALL MODELS AVAILABLE WITH LEVER HANDLE ALL MODELS WITH 76MM SINK OPENING AVAILABLE WITH BOX PATTERN DRAIN (D23/D63 SERIES)	ITEM D50-4161 (1-1/2" NPS) D50-7100 (1-1/2" NPS) D50-4151 (1-1/2" NPS) D50-7110 (1-1/2" NPS) D50-4591 (1-1/2" NPS) D50-7115 (1-1/2" NPS) D50-4160 (2" NPS) D50-7200 (2" NPS) D50-4150 (2" NPS) D50-7210 (2" NPS) D50-4590 (2" NPS) D50-7215 (2" NPS)	Ø↔OVERFLOW OUTLETOVERFLOW ASSY 76101 89114 76101YES 89114YES 76101 89114 76101YES 89114YES 76101YES 89114 76101 89114
D53 SERIES 	TWIST HANDLE WASTE OUTLET WITH CRUMB CUP ABLAUFVENTIL SPUHLBECKEN MIT GEBOGENEM HEBEL MIT TOPSIEB EVACUATION D'ÉVIER AVEC LEVIER ROTATIVE AFVOER SPOELBAK MET GEBOGEN DRAAIHENDEL EN ZEEF ALL MODELS AVAILABLE WITH LEVER HANDLE	ITEM D53-7100 (1-1/2" NPS) D53-7200 (2" NPS) D53-7110 (1-1/2" NPS) D53-7210 (2" NPS) D53-7115 (1-1/2" NPS) D53-7215 (2" NPS)	Ø↔OVERFLOW OUTLETOVERFLOW ASSY 89114 89114 89114YES 89114YES 89114 89114

CAFETERIA COMPONENTS





- ✓ A VERY EXTENSIVE RANGE OF COMPONENTS TO ALLOW OUR CUSTOMERS TO DO ONE-STOP SHOPPING
- ✓ HEAVY DUTY STAINLESS STEEL SHELF BRACKETS AVAILABLE IN VARIOUS SIZES AND MODELS
- ✓ GLASS CLAMPS FOR ROUND AND SQUARE TUBING FOR 6 AND 8MM GLASS
- ✓ LED FIXTURES UTILIZE LONG-LASTING, ENERGY EFFICIENT LED LAMPS


- ✓ EEN ZEER UITGEBREIDE RANGE COMPONENTEN DIE 'ONE-STOP SHOPPING' MOGELIJK MAAKT
- ✓ ZWARE RVS DRAGERS VERKRIJGBAAR IN MEERDERE MODELLEN EN AFMETINGEN
- ✓ GLASHOUDERS VOOR ZOWEL RONDE ALS VIERKANTE BUIZEN VOOR 6 EN 8 MM GLAS
- ✓ LED ARMATUREN MAKEN GEBRUIK VAN DUURZAME, ENERGIEZUINIGE LED LAMPEN

- ✓ EINE SEHR GROSSE AUSWAHL VON KOMPONENTEN, DIE ES UNSEREN KUNDEN MÖGLICH MACHT ALLES AUS EINER HAND ZU ERHALTEN (ONE-STOP SHOPPING)
- ✓ SCHWERLAST (KLAPP)-KONSOLEN AUS EDELSTAHL, ERHÄLTICH IN VERSCHIEDENEN GRÖSSEN UND MODELLEN
- ✓ GLASHALTER AUS EDELSTAHL FÜR RUND UND VIERKANTROHR FÜR 6 UND 8MM GLAS, AUCH IN V4A LIEFERBAR
- ✓ LED LAMPEN FÜR LANGLEBIGEN UND ENERGIESPARENDEN EINSATZ

CAFETERIA COMPONENTS

CASTERS 	CASTERS FOR YOUR APPLICATION, WIDE RANGE AVAILABLE BRAKED AND UNBRAKED, SWIVEL OR FIXED, PLATE OR (EXPANDING) STEM ROLLEN FÜR IHRE ANWENDUNG, GROSSE AUSWAHL VERFÜGBAR. GEBREMSTUNDUNGEGBREMST,DREHBARODERFESTSTEHEND,PLATTE ODER (SPREIZ-) VORBAU ROUES POUR VOTRE APPLICATION, LARGE GAMME DISPONIBLE. FREINÉS ET NON FREINÉS, PIVOTANTS OU FIXES, À TÔLE OU À TIGE (EXPANSIBLE) WIELENVOORUWTOEPASSING,BREEDASSORTIMENTBESCHIKBAAR. GEREMD EN ONGEREMD, DRAAIBAAR OF VAST, PLAAT OF (UITZETTENDE) STEEL	ITEM CSS30-4RPN CSS30-4RLN	Ø 30 SQUARE 30 SQUARE	↔ 	↕ 130 130	↗ 	↘ 	↻ 	CONTACT US WITH YOUR REQUEST							
J19 SERIES 	SHELF AND TRAY SLIDE BRACKET, FOLD DOWN, STAINLESS STEEL KLAPPKONSOLE ODER FESTE KONSOLE FÜR TABLETTRUTSCHEIBE, EDELSTAHL CONSOLE RABATTABLE OU FIXE POUR RAMPE A PLATEAU, INOX VASTE OF NEERKLAPBARE DRAGERS VOOR CAFETERIA SYSTEMEN, RVS	ITEM J19-4355 J19-4360 J19-4967 J17-4270 J17-4273 J19-4955-LT J19-4960-LT J19-4966 J19-4960	Ø 	↔ 321 318 219 178 178 309 306 267 306	↕ 86 89 90 156 156 111 108 113 108	↗ 	↘ 102 102 	↻ 	ZINC PLATED STAINLESS STEEL NO TUBES NO TUBES SHELF							
JE31 SERIES 	GLASS CLAMP FOR SQUARE AND ROUND TUBING, STAINLESS STEEL GLASHALTER FÜR RUND UND 4-KANT ROHR, EDELSTAHL CRAMPON VITRE POUR TUBES RONDES ET CARRÉS, INOX GLASHOUDER VOOR RONDE EN VIERKANTE BUIS, RVS ALSO AVAILABLE IN SS 316	ITEM JE31-2900 JE31-2902 JE31-2905 JE31-2906 JE31-2907 JE31-2908	Ø 30 30 30	↔ 25 25 29 29 29 29	↕ 33.5 33.5 35 35 35 35	↗ 	↘ 6 6 6 6 8 8	↻ 								
B70 SERIES 	GLASS CAPPING, STAINLESS STEEL GLASEINFASSPROFIL, EDELSTAHL PROFIL POUR VITRE, INOX GLASDEURPROFIEL, RVS 	ITEM B70-1001 (A) B70-1002 (B) B70-1003 (C) B70-1005 (D) B70-1007 (E) B70-1008 (F)	Ø 3650 3650 3650 3650 3650 3650	↔ 11 11 11 8 8 19	↕ 	↗ 	↘ 7 7 7 6 10 10	↻ 								

CAFETERIA COMPONENTS

L82 SERIES  	LED LIGHT, CE, IP 66 RATED, STAINLESS STEEL FACE LED EINBAULEUCHTE, CE, IP 66, EDELSTAHL LED ECLAIRAGE ENCASTRABLE POUR HOTTE, CE, IP 66, FACE INOX LED INBOUW VERLICHTINGSARMATUUR, CE, IP 66, RVS AFWERKING TEMPERATURE RATING OF 75°C CE & UKCA APPROVED	ITEM L82-1020-CE L82-1030-CE L82-1040-CE L82-1030-LED-CE-N L82-1030-LED-CE-W L82-1040-LED-CE-N L82-1040-LED-CE-W	$\varnothing$ 	$\leftrightarrow$ 	$\updownarrow$ 	$\downarrow$ 	$\uparrow$ 	$\rightarrow$
CUP DISPENSERS 	CUP DISPENSER, STAINLESS STEEL BECHERSPENDER VERSTELLBAR, EDELSTAHL DISTRIBUTEURS DE Gobelets, INOX BEKERVERDEELERS, RVS	ITEM C3200CH C3200CV C3400CH C3400CV C3450SS C3500CH	$\varnothing$ 	$\leftrightarrow$ 	$\updownarrow$ 	$\downarrow$ 	$\uparrow$ 	$\rightarrow$
CONTEMPO SERIES 	CORNER BUMPERS AND STRIPS, BLACK, GREY STOSSECKE UND STOSSSTREIFEN, SCHWARZ, GRAU PARE CHOCS ET BANDE PARE CHOCS, NOIRE, GRIS STOOTBUMPERS EN STRIPS, ZWART EN GRIJS	ITEM C60-1010 C60-1030 C60-1040 C60-1050 C60-5010 C60-1040-B C60-1050-B	$\varnothing$ 	$\leftrightarrow$ 	$\updownarrow$ 	$\downarrow$ 	$\uparrow$ 	$\rightarrow$
C65 SERIES 	CORNER BUMPERS AND STRIPS, BLACK, GREY STOSSECKE UND STOSSSTREIFEN, SCHWARZ, GRAU PARE CHOCS ET BANDE PARE CHOCS, NOIRE, GRIS STOOTBUMPERS EN STRIPS, ZWART EN GRIJS	ITEM C65-1010 (C) C65-2120 (D) C65-3120 (D) C65-5090 (A) C65-5000 (B)	$\varnothing$ 	$\leftrightarrow$ 	$\updownarrow$ 	$\downarrow$ 	$\uparrow$ 	$\rightarrow$

CAFETERIA COMPONENTS

BRITE GARD 	BRITE GARD STAINLESS STEEL CLEANER / PROTECTANT BRITE GARD EDELSTAHLREINIGER / SCHUTZMITTEL BRITE GARD INOX NETTOYANT / PROTECTANT BRITE GARD RVS REINIGER / BESCHERMER	ITEM Q85-2016	Ø 474ML SPRAY	↔	↕	↖	↗	↘
J63 & J64 SERIES 	CAP STRIP AND DIVIDER BAR, STAINLESS STEEL ABDECKUNG, EDELSTAHL MOULURE, INOX AFDEKLIJST, RVS J63 J64	ITEM J63-1451-8.2 J64-1450-8.2	Ø 2500 2500	↔	↕	↖	↗	↘
6350 & J92 SERIES 	SCRAP RING SOLID RUBBER, BLACK, GREY DROP IN SCRAP CHUTE, STAINLESS STEEL GUMMI ABFALLROHRE FLACH SCHWARZ, GRAU ABFALLROHRRING, EDELSTAHL JOINTS VIDE ORDURES EN CAOUTCHOUC, NOIRE, GRIS JOINTS VIDE ORDURE EN, INOX A ENCASTRER RUBBEREN AFVALKOKERRING, ZWART, GRIJS DROP IN AFVALKOKERRING, RVS OTHER COLOUR RINGS AVAILABLE	ITEM 6350-B 6350-G 6351 6360 6352-G 6352-Z J92-1000 J92-5000	Ø 200 200 207 251 251 152 146	↔ 235 235 238 268 279 279 133 133	↕ 50 50 68 68 133 133	↖	↗	↘
J70 SERIES 	COVE CORNER, SQUARE AND BULL NOSE INSERTS, STAINLESS STEEL ECK EINSATZSTÜCKEN, EDELSTAHL COIN A SOUDER EN ACIER, INOX HOEK EN BUIS INLASSTUKKEN, RVS	ITEM J70-4691 J70-4701 J72-4711 J72-4731 J74-4721 J74-4723 J74-4725	Ø 25 25 38 50 38 44 41	↔	↕	↖	↗	↘

CABINET HARDWARE




- ✓ A VERY EXTENSIVE RANGE OF COMPONENTS TO ALLOW OUR CUSTOMERS TO DO ONE-STOP SHOPPING
- ✓ DECORATIVE HANDLES AND KNOBS AND PULLS COME IN A WIDE VARIETY OF MODELS AND SIZES
- ✓ NSF LISTED FULL EXTENSION DRAWER SLIDES WITH 50 AND 100 KG LOAD CAPACITY
- ✓ DRAWER ASSEMBLIES HAVE A HEAVY DUTY WELDED CONSTRUCTION

- ✓ EEN ZEER UITGEBREIDE RANGE COMPONENTEN DIE 'ONE-STOP SHOPPING' MOGELIJK MAAKT
- ✓ DECORATIEVE HENDELS, KNOPPEN EN GREPEN VERKRIJGBAAR IN EEN GROOT AANTAL MODELLEN EN AFMETINGEN
- ✓ NSF GECERTIFICEERDE VOLLEDIG UITSCHUIFBARE TELESKOOP LADENGELEIDERS MET 50 EN 100 KG DRAAGKRACHT
- ✓ SCHUIFLADES HEBBEN EEN 'ZWARE' GELASTE CONSTRUCTIE

- ✓ EINE SEHR GROSSE AUSWAHL VON KOMPONENTEN, DIE ES UNSEREN KUNDEN MÖGLICH MACHT ALLES AUS EINER HAND ZU BEKOMMEN (ONE-STOP SHOPPING)
- ✓ DEKORATIVE GRIFFE, KNÖPFE UND SCHLÖSSER IN EINER GROSSEN AUSWAHL VON MODELLEN UND GRÖSSEN
- ✓ NSF ZERTIFIZIERTE SCHUBLADENFÜHRUNGEN MIT 50 UND 100 KG TRAGLAST
- ✓ SCHUBLADEN-BAUGRUPPEN HABEN EINE ROBUSTE SCHWEISSKONSTRUKTION

CABINET HARDWARE

P47, P48 & P49 SERIES 	TUBULAR HANDLES STAINLESS STEEL, HANDLES CHOME PLATED ROHRGRIFFE EDELSTAHL, GRIFFE VERCHROMT POIGNÉES TUBULAIRES, POIGNÉES CHROMÉES BUISHANDGREPEN RVS, HANDGREPEN VERCHROOMD	ITEM P47-0300 (A) P47-0450 (A) P48-1010 (B) P48-1012-M (B) P49-1500 (C) P49-1500-6 (C)	Ø	↔ 300 450 371 325 311 195	↕ 60 60 36 36 37 37	⬇	↩	↻
P49 SERIES 	HANDLE SUPPORT & BRACKET HANDGRIFFSTÜTZEN & BEFESTIGUNGEN SUPPORTS POUR TUBE HANDGREEPSTEUNEN EN BEVESTIGINGEN	ITEM P49-1010 P49-2100 P49-2200	Ø	↔ 25 36 36	↕ 63 75 75	⬇	↩	↻
P40 & P50-53 SERIES 	HANDLES & PULLS AUFBAUHANDGRIFFE POIGNÉES ET TIRANTS OPBOUWHANDVATEN	ITEM P40-1010 P50-1010-M P50-1011 P50-1011-M P51-1010 P52-1010 P53-1012	Ø	↔ 155 120 120 120 100 120 143	↕ 44 24 24 24 19 24 41	FINISH CHROME PLATED CHROME PLATED BUFFED SATIN BUFFED SATIN CHROME PLATED BLACK NYLON BLACK NYLON		
P44 & P45 SERIES 	PULLS, ALUMINUM, SATIN CHROME FINISH AUFBAUHANDGRIFFE ALU, VERCHROMT TIRANTS POUR MONTAGE ALU, CHROMÉS HANDVATEN ALUMINIUM, VERCHROOMD	ITEM P44-1010 P45-3000 P45-3500 P45-4000	Ø	↔ 117 76 89 102	↕ 25 32 32 32	⬇	↩	↻

CABINET HARDWARE

P46 SERIES 	BAR PULL, STAINLESS STEEL GRIFFE, EDELSTAHL TIRANTS POUR MONTAGE, INOX OPBOUWHANDVATEN, RVS	ITEM P46-1010 P46-1010-M P46-1012 P46-1012-M	Ø 133 133 108 108	↔ 25 25 25 25	↕	⬇	⬅	🔩
P60, P62 & P63 SERIES 	RECESSED PULLS, STAINLESS STEEL MUSCHELGRIFFE, EDELSTAHL POIGNÉES À ENCASTRER, INOX INBOUWHANDVATEN, RVS	ITEM P60-1010-M P62-1010-M P62-1014 P63-1012-M	Ø 122 120 120	↔ 62 62 62	↕	⬇	⬅	🔩
P73 SERIES 	SNAP-IN HANDLE, BLACK ABS MUSCHELGRIFFE AUS KUNSTSTOFF SCHWARZ POIGNÉES À ENCASTRER, ABS NOIR INBOUWHANDVATEN, ABS ZWART	ITEM P73-0500 P73-1000 P73-2000	Ø 93 138 189	↔ 35 37 44	↕	⬇	⬅	🔩
P90 SERIES 	PADDLE LATCH, STAINLESS STEEL MUSCHEL VERSCHLÜSSE, EDELSTAHL POIGNÉES À CLAQUET, INOX GREEPSLUITINGEN, RVS - C MEANS WITH CYLINDER LOCK	ITEM P90-1000 P90-2000 P90-2000-C P90-5000 P90-5000-C	Ø 55 84 84 124 124	↔ 41 68 68 98 98	↕	⬇	⬅	🔩

CABINET HARDWARE

M15 SERIES 	CABINET HINGE AND LATCH, CHROME PLATED SCHARNIERE UND VERSCHLÜSSE, VERCHROMT VERROUX ET POIGNÉES, CHROMÉS GRENDELSCHARNIEREN EN SLUITINGEN, VERCHROOMD	ITEM M15-9210 M15-9211	Ø 46 59	↔ 46 59	↕ 27 59	OFFSET 3 MM AND 10 MM 3 MM AND 10 MM
R74 SERIES 	LIFT-OFF HINGE, STAINLESS STEEL SCHARNIERE, AUSHEBBAR, EDELSTAHL PAUMELLES DÉGONDABLE, INOX AFNEEMBARE SCHARNIEREN, RVS	ITEM R74-8000-RH R74-8001-LH R74-8100-RH R74-8101-LH R74-9000-RH R74-9001-LH	Ø 44 44 50 50 32 32	↔ 44 44 50 50 32 32	↕ 50 50 75 75 50 50	↖ ↗ ↖ ↗ ↖ ↗
M48 SERIES 	CONTINUOUS HINGE WITH STAINLESS STEEL PIN, STAINLESS STEEL KLAVIERBAND, EDELSTAHL CHARNIÈRES PIANO A SOUDER, INOX PIANOSCHARNIER MET ROESTVRIJSTAAL PIN, RVS	ITEM M48-0112 M48-0122 M48-0132 M48-0134 M48-0143 M48-0144 M48-0154	Ø 2,2 2,0 2,3 3,2 3,0 3,0 4,8	↔ 19 27 38 38 51 51 64	↕ 1830 1830 1830 1830 1830 1830 1830	↖ 0,9 GAUGE 1,0 GAUGE 0,9 GAUGE 1,6 GAUGE 1,3 GAUGE 1,5 GAUGE 1,6 GAUGE
M12, M75, M76 SERIES 	CABINET HINGE AND LATCH, STAINLESS STEEL SCHARNIERE UND VERSCHLUSSE, EDELSTAHL VERROUX ET POIGNÉES, INOX GRENDELSCHARNIEREN EN SLUITINGEN, RVS CORNER SHAPED HINGES, STAINLESS STEEL ABNEHMBARES FLAGGESCHARNIER, EDELSTAHL CHARNIÈRE DÉGONABLE SUR AIGUI OU AIGUI COIN, INOX DEMONTEERBAAR SCHARNIER RECHT OF IN HOEKMODEL, RVS	ITEM M12-9293 M12-9294 M12-9295 M75-1002 M75-5003	Ø 1 1.2 1.5 28 35	↔ 1 1.2 1.5 28 35	↕ 35 50 70 52 76	↖ ↗ ↖ ↗ ↖ ↗

CABINET HARDWARE

F81 SERIES




FULL EXTENSION DRAWER SLIDE, S/S

VOLLAUSZUG EDELSTAHL

COULISSES TÉLESCOPIQUES INOX

LADEGELEIDER VOLLEDIG UITTREKBAAR, RVS



S26 & 52 Series



DRAWER SLIDE FULL EXTENSION. STAINLESS STEEL

SCHUBLADENFÜHRUNGEN VOLLAUSZUG, EDELSTAHL

GLISSIÈRES TÉLESCOPIQUES, INOX

TELESCOPISCHE LADENGELEIDERS, RVS

AVAILABLE WITH DELRIN BEARINGS AND SS BEARINGS

GASTRO SERIES



WIRE SHELVES, STAINLESS STEEL

GITTERROST GASTRONORM, EDELSTAHL

RAYONNAGE GASTRONORM, INOX

DRAADROOSTER, RVS

ALSO AVAILABLE IN OTHER TYPES

P30 SERIES




UTILITY LOCK

DREHRIEGEL VERSCHLÜSSE

SERRURES POUR TIROIRS

TUIMELSLOTEN

[illegible]

ITEM	Ø	↔	↕	LOAD CAPACITY
S26-0016		400	21.4	50 KG
S26-0018		450	21.4	50 KG
S26-0020		500	21.4	50 KG
S26-0022		550	21.4	50 KG
S26-0024		600	21.4	50 KG
S26-0026		650	21.4	50 KG
S52-0020		500	62	100 KG
S52-0022		550	62	100 KG
S52-0024		600	62	100 KG
S52-0026		650	62	100 KG

[illegible]

ITEM	Ø	↔	↕	KEYING
P30-4750	7	16	22	ALIKE
P30-4751	7	16	22	DIFFERENT
P30-4752	7	16	22	DIFFERENT & MASTER KEYED
P30-4760	17	22	28	ALIKE
P30-4761	17	22	28	DIFFERENT
P30-4762	17	22	28	DIFFERENT & MASTER KEYED
P30-4770	24	28	35	ALIKE
P30-4771	24	28	35	DIFFERENT
P30-4772	24	28	35	DIFFERENT & MASTER KEYED
P30-4780	28	35	41	ALIKE
P30-4781	28	35	41	DIFFERENT
P30-4782	28	35	41	DIFFERENT & MASTER KEYED

CABINET HARDWARE

S90 SERIES		ITEM	Ø	↔	↕	⬇	↗	↘
	DRAWER ASSEMBLY, INCLUDING PAN, STAINLESS STEEL	S90-0015-N		497	171			
	SCHUBLADEN EINBAUELEMENT, MIT BEHÄLTER, EDELSTAHL	S90-0015-C-N		497	171			
	TIROIRS NEUTRES, AVEC RÉCIPIENTS, INOX	S90-0020-N		636	171			
	LADE INBOUWELEMENT, INCLUSIEF LEKBAK, RVS	S90-0020-C-N		636	171			
	DIFFERENT SIZES ON REQUEST							

B57 & B58 SERIES		ITEM	Ø	↔	↕	⬇	↗	↘
	DOOR SHEAVES, ZINC PLATED, STAINLESS STEEL	B58-5511	25	25.5	69		STEEL	FRONT
	SCHIEBETÜR ROLLEN, GALVANISIERT, EDELSTAHL	B58-5513	25	25.5	69		NYLON	FRONT
	ROULETTE RÉGLABLE POUR PORTE GLISSANTE, GALVANISÉE, INOX	B58-5515-SS	22.5	30	65	8.5	NYLON	FRONT
		B58-5521	25	25.5	69		STEEL	REAR
		B58-5523	25	25.5	69		NYLON	REAR
	SCHUIFDEURWIELEN INSTELBAAR, GEGALVANISEERD, RVS	B58-5525-SS	22.5	30	32.5	8.5	NYLON	REAR
		B57-2000		2000	32			
		B57-3000		3000	32			
		B57-6000		6000	32			

BEARINGS		ITEM	Ø	↔	↕	⬇	↗	↘
	BALL BEARINGS, STAINLESS STEEL, STEEL, NYLON	B10-1210	23	6.3				
	FLACHES KUGELLAGERS, EDELSTAHL, STAHL, NYLON	B20-1013	22	5.5				
	ROULEMENT A BILLES, INOX, ACIER	B20-1019	25.4	7.9				
	VLAKE KOGELLAGERS, RVS, STAAL, NYLON							
	AVAILABLE WITH DIFFERENT SIZE SCREWS							

BEARINGS		ITEM	Ø	↔	↕	⬇	↗	↘
	BALL BEARINGS, STAINLESS STEEL, STEEL, NYLON	B20-1028	33.3	7.9				
	FLACHES KUGELLAGERS, EDELSTAHL, STAHL, NYLON	B20-1032	25.4	5.5				
	ROULEMENT A BILLES, INOX, ACIER	B20-1219	33.3	7.9				
		B20-1230	23	6.3				
		B20-1819	25.4	5.5				
		B23-1013	33.3	7.9				
		B24-1013	30	7.9				



- ✓ EQUIPMENT LEGS AVAILABLE IN VARIOUS SIZES WITH MOUNTING PLATE OR PROTRUDING STUD
- ✓ WIDE RANGE OF LATCHES AND HINGES FOR REFRIGERATION APPLICATIONS
- ✓ CE & UKCA CERTIFIED SELF REGULATING CONDENSATE EVAPORATORS
- ✓ CONCEALED SELF CLOSING CARTRIDGE, HINGES ENSURE SILENT & SMOOTH OPERATION

- ✓ RVS STELPOTEN VERKRIJGBAAR IN VERSCHILLENDE AFMETINGEN MET SCHROEFDRAAD OF MONTAGEPLAAT
- ✓ EEN UITGEBREID ASSORTIMENT SCHARNIEREN EN SLUITINGEN VOOR KOELKASTEN EN INLOOP-KOELINGEN
- ✓ CE & UKCA GECERTIFICEERDE ZELFREGULERENDE VERDAMPINGSBAKJES
- ✓ ZELFSLUITENDE PIVOTSCHARNIEREN VERZEKEREN EEN GERUISLOZE EN SOEPELE WERKING

- ✓ ANSCHRAUBFÜSSE IN VERSCHIEDENEN GRÖSSEN ERHÄLTICH. MIT ANSCHRAUBPLATTE ODER METRISCHEM GEWINDE
- ✓ GROSSE AUSWAHL AN SCHARNIEREN UND VERSCHLÜSSEN FÜR DIE KÄLTE- UND KÜHLTECHNIK
- ✓ CE & UKCA GEPRÜFTE SELBST REGULIERENDE KONDENSWASSERVERDUNSTER
- ✓ SELBSTSCHLIESSENDE SCHARNIERE GARANTIEREN RUHIGEN UND SANFTEN BETRIEB

A59 SERIES

EQUIPMENT LEG, STAINLESS STEEL, M10

ANSCHRAUBFUSS, EDELSTAHL, M10

PIED RÉGLABLE, INOX, M10

STELPOOT, RVS, M10

*MOUNTING PLATE

ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋
A59-1000*	59	120/150	30			700
A59-1100*	59	120/180	60			700
A59-1150	59	120/150	60			700
A59-1250	59	120/180	30			700
A59-0090	59	100/160	60			700
A59-1150-SS	59	120/180	60			700
A59-1650	59	160/255	95			700

A65 SERIES

EQUIPMENT LEG, STAINLESS STEEL, M10

ANSCHRAUBFUSS, EDELSTAHL, M10

PIED RÉGLABLE, INOX, M10

STELPOOT, RVS, M10

*MOUNTING PLATE

ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋
A65-2000	65	120/150	30			700
A65-2100	65	120/180	60			700
A65-2200	65	120/150	30			700
A65-2300	65	120/180	60			700
A65-2000-IT*	65	120/150	30			700
A65-2400*	65	155/205	50			700
A65-2600-IT*	65	140/240	100			700
A65-2700*	65	155/205	50			700

A48, 50, 84 & 86 SERIES

EQUIPMENT LEG, STAINLESS STEEL, M12

ANSCHRAUBFUSS, EDELSTAHL, M12

PIED RÉGLABLE, INOX, M12

STELPOOT, RVS, M12

*ALL A48, 50, 84 AND 86 MODELS CAN BE PLATED MOUNTED BY FITTING THE MP1/SS ON TOP.

ITEM	Ø	↔	↕	⌈⌋	⌈⌋	⌈⌋
A48-5032-M	41		100	44		900
A48-5048-M	41		150	44		900
A50-5032-M	41		100	44		900
A50-5048-M	41		150	44		900
A84-5032-M	50		100	44		900
A84-5048-M	50		150	44		900
A86-5032-M	50	STUD	100	44		900
A86-5048-M	50	STUD	150	44		900
MP1/SS*			102 x 80			

Q77 SERIES

THERMAL MASTIC COATING

WÄRMELEITPASTE

PÂTE CONDUCTRICE

WARMTEGELEIDENDE PASTA


ITEM	
Q77-1000	305 ML




Q75 & Q76 SERIES 	SOUND DEADENER/ SOUND DEADENING PAD SCHALLDÄMPFER/ SCHALLSCHUTZ POLSTER PRODUITS D'INONORISATION/ PLAQUES D'INONORISATION GELUIDSDEMPENDE LATEX & PASTA/ GELUIDSDEMPENDE PADS PASTA	ITEM Q75-1366 Q76-1250	$\emptyset$	$\longleftrightarrow$	$\updownarrow$	$\perp$	$\lrcorner$	∇
					3,68 L - LATEX			
				90	250			


R24 SERIES 	MAGNETIC/MECHANICAL EDGEMOUNT LATCH, CHROME PLATED MAGNETISCHER VERSCHLUSS, VERCHROMT LOQUETEAUX AVEC AIMANT, CHROMÉES MAGNEETSLUITINGEN, VERCHROOMD -C MEANS WITH CYLINDER LOCK	ITEM R24-9175 R24-9175-C R24-9175-X R24-9175-XC	$\emptyset$	$\longleftrightarrow$	$\updownarrow$	$\perp$	$\lrcorner$	∇
				273	38			
				273	38		CYLINDER LK	
				273	38		OFFSET HDL	
				273	38		CYL LK, OFFSET HDL	


R25 SERIES 	MAGNETIC EDGEMOUNT LATCH, CHROME PLATED MAGNETISCHER VERSCHLUSS, VERCHROMT LOQUETEAUX AVEC AIMANT, CHROMÉES MAGNEETSLUITINGEN, VERCHROOMD -C MEANS WITH CYLINDER LOCK	ITEM R25-1700-C R25-1700-NC R25-1700-XC R25-1700-XNC	$\emptyset$	$\longleftrightarrow$	$\updownarrow$	$\perp$	$\lrcorner$	∇
				292	49		CYLINDER LK	
				292	49		CYLINDER LK	
				292	49		CYL LK, OFFSET HDL	
				292	49		CYL LK, OFFSET HDL	

R30 SERIES 	LATCH, SURFACE MOUNT, CHROME PLATED VERSCHLÜSSE, VERCHROMT LOQUETEAUX, CHROMÉES SLUITINGEN, VERCHROOMD	ITEM R30-9140-5/8 R30-9140-FL	$\emptyset$	$\longleftrightarrow$	$\updownarrow$	$\perp$	$\lrcorner$	∇
				178	53			
				172	53			


R35 SERIES 	EDGEMOUNT LATCH, CHROME PLATED ZUGVERSCHLÜSSE, RECHTS, VERCHROMT FERMETURES POIGNÉES DROITE, CHROMÉES WERPSLUITINGEN, RECHTE HENDEL, VERCHROOMD -C MEANS WITH CYLINDER LOCK	ITEM R35-1105 R35-1105-C R35-1105-X R35-1105-XC R35-3105-X	Ø 260 260 260 260 260	↔ 260 260 260 260 260	↕ 38 38 38 38 38	⇅	CYLINDER LOCK OFFSET HANDLE CYL LK, OFFSET HDL HIGH TEMPERATURE
R42 SERIES 	EDGEMOUNT HINGE KANTENSCHARNIERE FÜR KÜHLMÖBELTÜREN CHARNIÈRES À RAMPE HOEKSCHARNIEREN  *AVAILABLE WITH POWER SPRING KIT	ITEM R42-2000 R42-2840 R42-2842* R42-2843 R42-2844* R42-2855 R42-2800 R42-2810	Ø 31 21 24 24 24 31	↔ 140 127 127 127 127 140	↕ 140 127 127 127 127 140	OFFSET 35 MM 22 MM 28 MM 28 MM 41 MM 28 MM	
R45 & 50 SERIES 	LIFT OFF EDGEMOUNT HINGES KANTENSCHARNIERE FÜR KÜHLMÖBELTÜREN CHARNIÈRES À RAMPE AFNEEMBARE HOEKSCHARNIEREN	ITEM R45-1010 R50-2850 R50-2850 SPO R50-2850-BLK R50-2850-SS*	Ø 28 30 30 30 30	↔ 110 146 146 146 146	↕ 110 146 146 146 146	OFFSET 30 MM 41 MM 35 MM 41 MM 41 MM	
R56 SERIES 	CARTRIDGE HINGE SELBSTSCHLIESSENDE SCHARNIERE CHARNIÈRES PIVOT PIVOT SCHARNIEREN ALL ITEMS AVAILABLE IN LEFT HAND VERSION	ITEM R56-1010 R56-5010 R56-5011 R56-5017 R56-7011 R56-7040 R56-MINI	75 X 98 PIVOT BRACKETS 79 X 25 - RH CARTRIDGE VERTICAL 79 X 25 - RH CARTRIDGE HORIZONTAL 79 X 25 - RH PIVOT HORIZONTAL 79 X 25 - RH PIVOT VERTICAL 79 X 25 - RH DOUBLE PIVOT HORIZONTAL 38 X 76				

R60 SERIES 	HEAVY DUTY LID HINGE FOR LARGE COOKING KETTLE DECKEL-DREHGELENKE, FÜR GROSSE KOCHKESSELS CHARNIÈRE SANS BRAS SUPPORT, POUR LES GRANDES BOUILLIÈRES ZWAAR DEKSEL SCHARNIER, VOOR GROTE KETELS	ITEM R60-1080030-C90	Aperture angle A1 = 90° Available on request: 65, 70, 80 or 85° Angle of decent A2 = about 10° Data only applicable for horizontal supporting surfaces 					
T12 SERIES  	CONDENSATE EVAPORATOR TAUWASSERVERDUNSTER BACS ÉVAPORATEURS VERDAMPINGSBAKJES CE & UKCA CERTIFIED	ITEM T12-0372 T12-0372-CE T12-5200 T12-5200-CE T12-0372-P T12-5200-P T12-3390*	↔ 120 X 317 120 x 317 120 x 317 120 x 317 120 x 317 120 x 317 150	↕ 70 70 70 70 70 70 82	160 WATT 160 WATT 300 WATT 300 WATT 160 WATT 300 WATT BRACKET			
T21 & T22 SERIES 	PILASTERS, ALUMINUM LOCHSCHIENE ALUMINIUM CRÉMAILLÈRES ALUMINIUM STELLIJSTEN ALUMINIUM PILASTERS, STAINLESS STEEL LOCHSCHIENE EDELSTAHL CRÉMAILLÈRES INOX STELLIJSTEN RVS 	ITEM T22-0016 T22-0018 T22-0024 T22-0048 T22-0072 T22-1024 T22-1048 T22-1060 T22-1072	Ø	↔	↕ 406 457 610 1219 1828 610 1219 1524 1828	↕	↕	↕
T30 SERIES 	SNAP-IN SHELF SUPPORT KLAMMER TAQUETS CLIPS VOOR STELLIJSTEN *STAINLESS STEEL	ITEM T30-5030* (C) T30-5031 (D) T30-5032 * (D) T30-5055* (B) T30-5130 * (A) T30-5131 (A)	Ø 22 16 16 19 22 22	↔	↕	↕	↕	↕

W19 SERIES 	WALK-IN LATCH SICHERHEITSVERSCHLÜSSE LOQUETEAUX DE SÉCURITÉ SCHARNIEREN VOOR INLOOPKOELING - C MEANS WITH CYLINDER LOCK - CHOOSE APPROPRIATE SAFETY RELEASE, W28 SERIES	ITEM W19-1000 W19-1000-C W19-1500 W19-1500-C W19-2000 W19-2000-C	Ø 266 266 266 266 266 266	↔ 51 51 51 51 51 51	↕ 51 51 51 51 51 51	OFFSET 0 MM - 19 MM 0 MM - 19 MM 19 MM - 41 MM 19 MM - 41 MM 41 MM - 64 MM 41 MM - 64 MM
W38 SERIES 	HEAVY DUTY WALK-IN LATCH, CHROME PLATED VERSCHLÜSSE, VERCHROMT LOQUETEAUX, CHROMÉES SLUITINGEN, VERCHROOMD - C MEANS WITH CYLINDER LOCK - CHOOSE APPROPRIATE SAFETY RELEASE, W28 SERIES	ITEM W38-1000 W38-1000-C W38-1500 W38-1500-C W38-2000 W38-2000-C	Ø 283 283 283 283 283 283	↔ 51 51 51 51 51 51	↕ 51 51 51 51 51 51	OFFSET 0 MM - 19 MM 0 MM - 19 MM 19 MM - 41 MM 19 MM - 41 MM 41 MM - 64 MM 41 MM - 64 MM
W99 SERIES 	WALK-IN LATCH, STAINLESS STEEL 316 VERSCHLÜSSE, EDELSTAHL 316 LOQUETEAUX, INOX 316 SLUITINGEN, RVS 316 - C MEANS WITH CYLINDER LOCK - CHOOSE APPROPRIATE SAFETY RELEASE, W28 SERIES	ITEM W99-3800-SS W99-3800-SS-C	Ø 283 283	↔ 50 50	↕ 50 50	↕ 50 50
W28 SERIES 	SAFETY RELEASE SICHERHEITSINNENÖFFNER DÉCONDAMNATIONS NOODONTGREDELINGEN	ITEM W28-2325 (B) W28-2400 (B) W28-2400-SS (A) W28-2600X (B) W28-2600-SS (A) W28-3400X (C) W28-2800X (B)	Ø 82.5 100 100 150 150 102 200	↔ 82.5 100 100 150 150 102 200	↕ 82.5 100 100 150 150 102 200	↕ 82.5 100 100 150 150 102 200

W99 SERIES 	HINGE ASSEMBLY, STAINLESS STEEL 316 TÜRBAND, EDELSTAHL 316 CHARNIÈRES, INOX 316 VLGSCHARNIER, RVS 316	ITEM W99-4100-SSLH W99-4100-SSRH W99-6015-SS	$\varnothing$ 263 263 387	$\leftrightarrow$ 108 108 128	$\updownarrow$ 	$\updownarrow$ 	$\updownarrow$ 	$\updownarrow$
W59 & W60 SERIES 	WALK-IN DOOR HINGES, CHROME PLATED SCHARNIERE, VERCHROMT CHARNIÈRES, CHROMÉES SCHARNIEREN, VERCHROOMD	ITEM W60-1000 W60-1000-S W59-1000	$\varnothing$ 254 175 236	$\leftrightarrow$ 143 143 143	$\updownarrow$ 	$\updownarrow$ 	$\updownarrow$ 	$\updownarrow$
VENT PORTS 	ROUND OR SQUARE VENT PORT DRUCKAUSGLEICHS VENTIL RUND ODER VIERECKIG SOUPAPES D'ÉQUILIBRAGE DE PRESSION, RONDE OU CARRÉ DRUKVEREFFENINGSVENTIEL ROND OF VIERKANT	ITEM W86-1010 (A) W86-1012 (A) W86-2010 (A) W88-1010 (B) W88-1012 (B) W88-1010-6000 (B) W88-2010 (B)	$\varnothing$ 120V/8W 220V/8W NON HEAT 120V/23W 220V/23W 120V/23W NON HEAT	$\leftrightarrow$ 165 165 165 127 127 127 127	$\updownarrow$ 165 165 165 127 127 127 127	$\updownarrow$ 76-108 76-108 76-108 102 102 150 102	$\updownarrow$ 	$\updownarrow$
SAFE-T-VU WINDOW 	SAFE-T-VU WINDOW SAFE-T-VU SICHERHEITSFENSTER FENÊTRE SAFE-T-VU SAFE-T-VU RAAM	ITEM W90-1414-4G W90-1414-4HA W90-1424-4AG W90-1424-4HA	$\varnothing$ 436 356 413 356	$\leftrightarrow$ 436 356 667 610	$\updownarrow$ 	$\updownarrow$ 102 102 102 102	$\updownarrow$ 	$\updownarrow$

CANOPY HOOD



- ✓ EASY TO INSTALL ALL STAINLESS STEEL GREASE FILTERS IN A WIDE VARIETY OF DIMENSIONS
- ✓ EFFICIENTLY REMOVE A SIGNIFICANT AMOUNT OF GREASE BEFORE IT CAN ENTER THE VENTILATION SYSTEM
- ✓ EASY TO INSTALL CANOPY LIGHTING FIXTURES, GREASEPROOF, WATERPROOF AND HEATPROOF

- ✓ EENVOUDIG TE INSTALLEREN VETFILTERS VERKRIJGBAAR IN VELE AFMETINGEN
- ✓ VETFILTERS VANGEN EEN GROOT GEDEELTE VAN HET VET OP VOORDAT HET IN HET VENTILATIESYSTEEM KAN TERECHT KOMEN
- ✓ EENVOUDIG TE MONTEREN LICHTARMATUREN, RESISTENT TEGEN VET, WATER EN HITTE

- ✓ EINFACH ZU INSTALLIERENDE FLAMMSCHUTZFILTER IN ALLEN GÄNGIGEN GRÖSSEN
- ✓ EFFIZIENTE FETTFILTERUNG BEVOR DAS DAS BELÜFTUNGSSYSTEM ERREICHT WIRD
- ✓ EINFACH ZU INSTALLIERENDE, HITZE,-WASSER UND FETTBESTÄNDIGE HAUBENBELEUCHTUNG

CANOPY HOOD

FLAMEGARD TYPE IV



FLAME GARD BAFFLE FILTER, STAINLESS STEEL, 20MM
 FLAME GARD FETTFANGFILTER, EDELSTAHL, 20MM
 FLAME GARD FILTRES POUR HOTTES, INOX, 20MM
 FLAME GARD VETFILTER, RVS, 20MM

ITEM	Ø	↔	↕	↕	↕	↕
FG20-300500		300	500			
FG20-400400		400	400			
FG20-400500		400	500			
FG20-495495		495	495			
FG20-500300		500	300			
FG20-500400		500	400			
FG20-500500		500	500			
DIN EN 16282-6:2020-4 A CLASS RATING						
FGA20-500500		500	500	(BAUART A)		
FGA20-400400		400	400	(BAUART A)		

FLAMEGARD TYPE VI



FLAME GARD BAFFLE FILTER, STAINLESS STEEL, 45MM
 FETTFANGFILTER, EDELSTAHL, 45MM
 FILTRES POUR HOTTES, INOX, 45MM
 VETFILTERS, RVS, 45MM

ITEM	Ø	↔	↕	↕	↕	↕
FR51-1016		254	406			
FR51-1020		254	508			
FR51-1216		305	406			
FR51-1220		305	508			
FR51-1616		406	406			
FR51-1620		406	508			
FR51-1625		406	635			
FR51-2016		508	406			
FR51-2020		508	508			
FR51-2025		508	635			

L55 SERIES



CANOPY LIGHT FIXTURES WITH THERMAL AND CLEAR GLASS INCLUDING WIRE PROTECTION GUARD
 DECKENBELEUCHTUNG LICHTARMIERUNG, UND THERMO ODER KLARES GLAS, MIT ODER OHNE WARMESCHUTZ
 ARMATURE D'ECLAIRAGE AVE PROTECTION THERMIQUE
 VERLICHTINGSARMATUUR MET THERMISCH EN HELDER GLAS, MET METALEN BESCHERMING

ITEM	Ø	↕	
L55-1004	140	222	TUFF SKIN
L55-1024	140	222	TUFF SKIN WIRE GUARD
L55-2004	140	222	CLEAR
L55-2024	140	222	CLEAR WIRE GUARD
LED-40001N	70	157	WITH GLOBE

L82 SERIES



LED LIGHT, CE, IP 66 RATED, STAINLESS STEEL FACE
 LED EINBAULEUCHTE, CE, IP 66, EDELSTAHL
 LED ECLAIRAGE ENCASTRABLE POUR HOTTE, CE, IP 66, FACE INOX
 LED INBOUW VERLICHTINGSARMATUUR, CE, IP 66, RVS AFWERKING
 TEMPERATURE RATING OF 75°C
 L82 CE VARIANTS ARE UKCA APPROVED

ITEM	Ø	↔	↕	↕	↕	↕
L82-1020-CE		610	150			
L82-1030-CE		914	150			
L82-1040-CE		1219	150			
L82-1030-LED-CE-N		914	150	NATURAL		
L82-1030-LED-CE-W		914	150	WARM		
L82-1040-LED-CE-N		1219	150	NATURAL		
L82-1040-LED-CE-W		1219	150	WARM		

CANOPY HOOD

LED-PL35 SERIES



LED CANOPY HOOD LIGHT 3,5 WATT 270 LUMEN

LED AFZUIGKAPLAMP 3,5 WATT 270 LUMEN

LED HAUBENLAMPE, 3,5 WATT 270 LUMEN

LED LAMPE POUR HOTTE, 3,5 WATT 270 LUMEN

3.5 WATT LIGHT PRODUCES 270 LUMENS, 2800 TO 3200 KELVINS, SATIN FINISH BEZEL MATCHES HOOD, 120 DEGREE ADJUSTABLE BEAM ANGLE

ITEM

LED-PL35-N

LED CEILING LIGHT, 240V - 4 W
NATURAL WHITE 4000 - 4500K

LED-PL35-W

LED CEILING LIGHT, 240V - 4 W
WARM WHITE 2800 - 3200K

LED-PL35-W-IP64

LED CEILING LIGHT, 240V - 4 W
WARM WHITE 2800 - 3200K, IP64

J63 & 64 SERIES





CAP STRIP AND DIVIDER BAR, STAINLESS STEEL

ABDECKUNG, EDELSTAHL

MOULURE, INOX

AFDEKLIJST, RVS



ITEM

J63-1451-8.2

Ø

↔

↕

↕

↕

↕

↕

2500

CAP STRIP

J64-1450-8.2

2500

DIVIDER BAR

90 VML SERIES



REGISTER, MULTI DAMPER, ALUMINUM

LUFTEIN-/AUSLASSGITTER VERSTELLBAR, ALUMINIUM

MULTI VALVE DAMPER, ALUMINUM

MULTI VALVE DAMPER, ALUMINUM

ITEM

90VML-20X4

Ø

↔

↕

↕

↕

↕

↕

500

100

90VML-20X6

500

150

90VML-24X12

600

300

90VML-24X4

600

100

90VML-24X6

600

150

90VML-24X8

600

200

90VML-30X6

750

150

90VML-36X6

900

150

M90 SERIES



SILICONE SEALANT, FOODGRADE, HIGH TEMPERATURE RESISTANCE, 5 DIFFERENT COLORS

HOCH TEMPERATURSILIKONE, 5 FARBEN

SILICONE HAUT TEMPERATURE, 5 COULEURS

TEMPERATUURBESTENDIG SILICONENKIT, FOODGRADE, 5 KLEUREN

ITEM

M90-1010

CLEAR 310 ML

M90-1012

ALUMINUM 310 ML

M90-1014

WHITE 310 ML

M90-1016

BLACK 310 ML

M90-1018

HI TEMP RED 310 ML


INDEX

PRODUCT	PAGE	CATEGORY
Baffle filters	34	Canopy Hood
Bearings	25	Cabinet Hardware
Brackets, fold down	17	Cafeteria Component
Cabinet hinge	23	Refrigeration Components
Canopy light	34	Canopy Hood
Cap strip and divider bars	19, 35	Cafeteria Component
Condensate evaporator	30	OEM
Continious hinge	23	Cabinet Hardware
Cartridge hinges	29	OEM
Casters	17	Cafeteria Component
Corner bumpers and strips	18	Cafeteria Component
Cove Corners	19	Cafeteria Component
Cup dispensers	18	Cafeteria Component
Dipperwel assembly	14	Cafeteria Component
Door sheaves	25	Cabinet Hardware
Drains	14	Plumbing Components
Drawer slides	24	Cabinet Hardware
Equipment legs	7, 8, 9, 27	Work Tables
EZ sink	13	Plumbing Components
Faucets	11, 12, 13	Plumbing Components
Glass capping	17	Cafeteria Component
Glass clamp	17	Cafeteria Component
Handles	21, 22	Cabinet Hardware
Hinges	23, 29, 30, 32	OEM
Hose reels	13	Plumbing Components
Insert feet	7, 8, 9	Work Tables
Latches	22, 23, 28, 29, 31	OEM
LED light	18, 34, 35	Canopy Hood
Lift off hinge	23	Cabinet Hardware
Mini basket drain	15	Plumbing Components
Overflow tubes	15	Plumbing Components
Paddle latch	22	Cabinet Hardware

PRODUCT	PAGE	CATEGORY
Pilasters	30	OEM
Register, multi damper	35	Canopy Hood
Safety release	31	OEM
Safe-T-VU window	32	OEM
Service sink	12	Plumbing Components
Scrap rings	19	Cafeteria Component
Silicone sealant	35	Canopy Hood
Sink bowls	15	Plumbing Components
Snap-in shelf support	30	OEM
Sound deadener	28	OEM
Thermal mastic coating	27	OEM
Utility locks	24	Cabinet Hardware
Vent port	32	OEM
Water station filler	14	Plumbing Components
Wire shelves	24	Cabinet Hardware

FOR OUR FULL RANGE OF PRODUCTS PLEASE CONTACT US.

We are happy to provide you with our digital brochure package available as USB or download.



Your Global Partner for Innovative Solutions

Worldwide Availability:

NORTH AMERICA

COMPONENT HARDWARE NORTHEAST

Phone: +1 800-526-3694

COMPONENT HARDWARE SOUTHWEST

Phone: +1 877-476-3700

COMPONENT HARDWARE WEST

Phone: +1 800-227-3855

COMPONENT HARDWARE - CANADA

Phone: +1 905-415-2280



EUROPE

CHG EUROPE B.V.

Phone: +31-(0)76 596 86 99



ASIA

CHG KEIL TRADING

Phone: +86-21-6440-1211



Hazeldonk 6475, 4836 LH Breda, The Netherlands
+31 (0)76-596 8699

www.componenthardware.eu



COMPONENT
HARDWARE®