



COMPONENT
HARDWARE®

QUICK REFERENCE GUIDE FOR FABRICATORS

Your Global Partner for Innovative Solutions.

COMPONENT HARDWARE

ABOUT US

- Innovative manufacturer of specialty components and customized solutions since 1981
- Market leader with extensive engineering, global manufacturing and distribution capabilities
- Serving the foodservice, healthcare, hospitality, commercial and institutional markets
- Offering a wide array of commercial plumbing products, kitchen exhaust system components, fabrication hardware and refrigeration hardware
- Providing the industry's best casting, forging, stamping, machining, injection molding, extruding, fabrication and custom sub-assembly solutions

WHY YOU SHOULD CHOOSE US

- **A trusted and valued supply partner**, solving our customers' problems - saving them time, money, and headaches
- **Global Supply Chain** ensures on-time delivery of quality products wherever you may need them to keep your production lines running smoothly and efficiently
- Our meticulous **Quality Assurance team** insures our products meet or exceed all market standards and regulatory requirements
- Ability to **cost-effectively engineer** and build specialty or proprietary component and subassembly solutions on projects of all sizes
- **Global engineering and manufacturing capabilities**, including machining, metal forming, forging, stamping, die and sand casting, plastic injection molding, extruding, fabrication and subassembly operations allow for complete design and customization flexibility
- **Comprehensive product catalog** of over 9,000 items including specialty and customer-proprietary items
- Our **virtual manufacturing model** permits us to own our product designs and tooling without incurring the prohibitive expenses of owning the physical production facilities

WHERE TO FIND US

- Headquartered in Matawan, NJ, USA with warehouses and sales offices located throughout the United States, Canada, Asia and Europe
- International distribution network ensures timely delivery of quality products to virtually any location in the world
- Follow us on LinkedIn, Facebook, Instagram and Twitter
- For further information, please visit our web site at: www.componenthardware.com



Matawan, New Jersey



Columbus, Ohio



Fullerton, California



Dallas, Texas



Markham, Ontario



Breda, Netherlands

TABLE OF CONTENTS

CABINET HARDWARE	6
CAFETERIA ACCESSORIES	8
CANOPY HOOD ACCESSORIES	9
CASTER PACKS	2-3
DRAIN ACCESSORIES	11
DRAWER ASSEMBLIES	7
ENCORE® PLUMBING	15
EQUIPMENT LEGS	4
GAS HOSES	17
HANDSINKS	14
HANDSINKS & WATER STATIONS	13
LIGHTING & ELECTRICAL	10
REFRIGERATION HARDWARE	5
SINK BOWLS	12
TOP-LINE® PLUMBING	16
WELDING & DRILLING SUPPLIES	18
FABRICATION SUPPLIES	19



CASTER PACKS

CASTER KITS

	Model Number	Wheel Dia.	Mounting Type
	CSTPK-3BTS	3" (76mm)	1/2" - 13 x 1" Long Thread Stem, Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-5BTS	5" (127mm)	1/2" - 13 x 1" Long Thread Stem, Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-3BTS-7B	3" (76mm)	1/2" - 13 X 3/4" Long Threaded Stem, Black Polyolefin, 4 Brake
	CSTPK-5PTS	5" (127mm)	3/4" X 1" Threaded Stem , Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-2PUTS-B	2" (51mm)	1/2"-13 x 1 Threaded Stem, Blue Polyolefin, 4 Brake
	CSTPK-5PUTS-3B	5" (127mm)	3/4-10 X 1 Threaded Stem, Blue Polyurethane, 4 Brake
	CSTPK-5PUTS-4	5" (127mm)	1/2" - 13 X 1" Threaded Stem, Blue Polyurethane, 2 Brake/2 Non Brake
	CSTPK-4PUTS-1B	4" (102mm)	1/2" - 13 X 1-1/2" Threaded Stem, Blue Polyurethane, 4 Brake
	CSTPK-5PUTS-1B	5" (127mm)	1/2" - 13 X 1-1/2" Threaded Stem, Blue Polyurethane, 4 Brake
	CSTPK-5PUTS-2B	5" (127mm)	5/8 - 11" X 1-1/2" Threaded Stem, Blue Polyurethane, 4 Brake
	CSTPK-3PES	3" (76mm)	1-5/8" Expanding Stem, Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-5PES	5" (127mm)	1-5/8" Expanding Stem , Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-5PES-1	5" (127mm)	1" Expanding Stem, Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-5PES-2	5" (127mm)	1-1/4" Expanding Stem, Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-5PES-3	5" (127mm)	1-1/2" Expanding Stem, Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-5PES-4B-6	5" (127mm)	1-5/8" Expanding Stem, Black Polyolefin, 6 Brake
	CSTPK-3PUES-3	3" (76mm)	1-1/2" Expanding Stem, Blue Polyurethane, 2 Brake/2 Non Brake
	CSTPK-3PUES-3B	3" (76mm)	1-1/2" Expanding Stem, Blue Polyurethane, 4 Brake
	CSTPK-5PUES-3B	5" (127mm)	1-1/2" Expanding Stem, Blue Polyurethane, 4 Brake
	CSTPK-5PUES-4	5" (127mm)	1-5/8" Expanding Stem, Blue Polyurethane, 2 Brake/2 Non Brake
	CSTPK-3PUES-4B	3" (76mm)	1-5/8" Expanding Stem, Blue Polyurethane, 4 Brake
	CSTPK-5PUES-4B-6	5" (127mm)	1-5/8" Expanding Stem, Blue Polyurethane, 6 Brake

CASTER KITS

	Model Number	Wheel Dia.	Mounting Type
	CSTPK-5PFC	5" (127mm)	Swivel Female Collar Stem for Shelving, Blue Polyurethane, 4 Brake
	CSTPK-3PAL-1	3" (76mm)	3-1/2" X 3-1/2" Square Plate, Adjustable Stem, Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-3PSP	3" (76mm)	2-3/8" X 3-5/8" Swivel Plate, Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-4PSP	4" (102mm)	2-3/8" X 3-5/8" Swivel Plate, Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-5PSP	5" (127mm)	2-3/8" X 3-5/8" Swivel Plate, Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-1PUP-4B	1" (25mm)	3-1/2" X 3-1/2" Universal Plate, Low Profile, Black Polyolefin, 4 Brake
	CSTPK-2PUP-4B	2" (51mm)	3-1/2" X 3-1/2" Universal Plate, Low Profile, Blue Polyolefin, 4 Brake
	CSTPK-5PUP	5" (127mm)	4" X 4" Universal Plate, Black Polyolefin, 2 Brake/2 Non Brake
	CSTPK-5PUP-4	5" (127mm)	3-1/2" X 3-1/2" Universal Plate, Blue Polyolefin, 4 Brake
	CSTPK-3PUUP-B	3" (76mm)	4" X 4" Universal Plate, Blue Polyurethane, 4 Brake
	CSTPK-5PUUP	5" (127mm)	4" X 4" Universal Plate, Blue Polyurethane, 2 Brake/2 Non Brake
	CSTPK-5PUUP-B	5" (127mm)	4" X 4" Universal Plate, Blue Polyurethane, 4 Brake
	CSTPK-3PUUP-4B	3" (76mm)	3-1/2" X 3-1/2" Universal Plate, Blue Polyurethane, 4 Brake
	CSTPK-5PUUP-4B	5" (127mm)	3-1/2" X 3-1/2" Universal plate, Blue Polyurethane, 4 Brake
	CSTPK-5HPUSP-5	5" (127mm)	5-3/8" x 7-1/2" Triangle Plate, Blue Polyurethane, 2 Brake/2 Non Brake

Stainless Steel Casters Available On Application

EQUIPMENT LEGS



**HEAVY- DUTY STAINLESS STEEL
2" (51mm) O.D. EQUIPMENT LEG**

Model No.	Description	Height
A84-5048-C	With Removable Mounting Plate	6" (152mm)



KICK PLATE SPRING CLAMP

Model No.	Description
A76-4460	For use with 1-5/8" & 2" OD Tubing



**HEAVY- DUTY STAINLESS STEEL
1-5/8" (41mm) O.D. EQUIPMENT LEGS**

Model No.	Description	Height
A48-5048-C	With Removable Mounting Plate	6" (152mm)
A50-5048-C	With 1/2-13 Protruding Stud	6" (152mm)



ADJUSTABLE FOOT INSERTS

Model No.	Description	Height	Adj.	Load Rating	Application
A10-1000	Stainless Steel Clad Toe with Plastic Foot Insert Hex	1-1/2" (38mm)	1-1/4" (32mm)	1000 lbs (450 kg)	1-5/8" (41mm) O.D. Tubing 16 ga (1.5mm) and 18 ga (1.2mm)
A10-0851-C	Stainless Steel Clad Hex	1-1/2" (38mm)	1-1/4" (32mm)	2000lbs (900kg)	1-5/8" (41mm) O.D. Tubing 16 ga (1.5mm)
A10-0854-C	Stainless Steel Flanged	1-1/2" (38mm)	1-1/8" (28mm)	2000lbs (900kg)	1-5/8" (41mm) O.D. Round Tubing 16 ga (1.5mm)
A10-0881-C	Stainless Steel Hex	1-1/2" (38mm)	3" (76mm)	2000 lbs (900 kg)	3" (76mm) Adjustable Foot Insert to Suit 1-5/8" (41mm) O.D. Tubing 16 ga (1.5mm)




STAINLESS STEEL LEG SOCKETS

Model No.	Height	Application	Dia.
A18-0206-C	3-1/16" (78mm)	1-5/8" (41mm) O.D. Tubing or 1-1/4" I.P.S. Pipe	2" (51mm)
A18-0406-C	3-1/8"	1-5/8" (41mm) O.D. Tubing Furnished with 3-1/2" Sq. Welded Mounting Plate	2" (51mm)



CROSS BRACE FITTINGS

Model No.	Description
A35-1010	Corner Brace to suit 1-5/8" Vertical Legs
A35-1020	End Brace to suit 1-5/8" Vertical Legs
A35-1030	Center Brace to suit 1-5/8" Vertical Legs



**QUICK CORNER™ BRACKETS
FOR ADJUSTABLE UNDERSHELVES**

Model No.	Description
A37-1010	Corner Bracket to suit 1-5/8" Vertical Legs
A37-1020	Center Bracket to suit 1-5/8" Vertical Legs

REFRIGERATION HARDWARE



CHROME PLATED MECHANICAL EDGEMOUNT LATCHES

Model No.	Description
R35-1105	Straight Handle No Cylinder Lock
R35-1105-C	Straight Handle With Cylinder Lock
R35-1105-XC	Offset Handle With Cylinder Lock



CAM-RISE LIFT-OFF EDGEMOUNT HINGES

Model No.	Description
R50-2850	1-5/8" Offset, Self Closing, Chrome Plated



CHROME PLATED MAGNETIC EDGEMOUNT LATCHES

Model No.	Description
R25-1700-XNC	Offset Handle No Cylinder Lock
R27-1010-X	Offset Black Heat-Resistant Handle No Cylinder Lock



NON-RISE EDGEMOUNT HINGES

Model No.	Description
R42-2842	1-1/8" Offset, Chrome Plated
R42-2844	1-5/8" Offset, Chrome Plated
R42-2800	Power Spring Assist Kit for R42 Series Hinges



STAINLESS STEEL CONVENTIONAL TYPE PILASTER


Model No.	Length
T22-1144	144" (3658mm)



SNAP-IN SHELF SUPPORTS

Model No.	Material	Tab Height	Clip Width
T30-5130	Stainless Steel	7/16" (11mm)	7/8" (22mm)
T30-5131	Zinc Plated	7/16" (11mm)	7/8" (22mm)

CABINET HARDWARE



NICKEL PLATED BRASS DOOR CATCHES

Model No.	Description
M22-2420	Four Way with Adjustable Spring Loaded Ball Tension
M22-2430	Standard Duty with Adjustable Spring Loaded Ball Tension



ZINC PLATED STEEL HEAVY DUTY CONCEALED TYPE MAGNETIC CABINET CATCHES

Model No.	Description
M35-1000	Single
M35-2000	Double




STAINLESS STEEL DRAWER PULL

Model No.	Description
P63-1012	Full Grip with Frame Beveled Edge



STAINLESS STEEL DOOR PULL

Model No.	Description
P62-1010	With Frame Beveled Edge



STAINLESS STEEL LIFT-OFF FLAG HINGES

Model No.	Description
M75-1002	Standard Duty 2-1/16" (52mm) LG. x 1-3/32" (28mm) x .075 (2mm) 3/16" (5mm) Pin Dia.
M75-5003	Heavy Duty 3" (76mm) LG. x 1-3/8" (35mm) x .075 (2mm) 1/4" (6mm) Pin Dia.



STAINLESS STEEL LIFT-OFF HINGES

Model No.	Description	Length	Open
R74-8000-RH	Right Hand	2" (51mm)	1-3/4" (44mm)
R74-8001-LH	Left Hand	2" (51mm)	1-3/4" (44mm)




FULL EXTENSION DRAWER SLIDES WITH STAINLESS STEEL BEARINGS

Model No.	Size	Material
S52-0020	20" (508mm)	Stainless Steel
S52-0022	22" (559mm)	Stainless Steel
S52-0024	24" (610mm)	Stainless Steel

Fully welded end plates with rubber bumper stops.
10 pair per box

DRAWER ASSEMBLIES



HEAVY DUTY STAINLESS STEEL DRAWER ASSEMBLIES


15" S/S DRAWER ASSEMBLY

Model No.	Description	Lock	Pan
S90-0015-N SE90-0015-N	15" (381mm) Pan	-	S/S
S90-0015-C-N SE90-0015-C-N	15" (381mm) Pan	Cylinder	S/S

Series	Description	A	B	C	D
S90-0015 SE90-0015	Dim. for 15" Assembly	17-3/4" (451mm)	16-1/2" (419mm)	13-5/8" (346mm)	19-5/16" (497mm)
S90-0020 SE90-0020	Dim. for 20" Assembly	23-3/8" (594mm)	22-1/8" (562mm)	19-1/4" (489mm)	25-1/16" (636mm)

20" S/S DRAWER ASSEMBLY

Model No.	Description	Lock	Pan
S90-0020-N SE90-0020-N	20" (508mm) Pan	-	S/S
S90-0020-C-N SE90-0020-C-N	20" (508mm) Pan	Cylinder	S/S



STAINLESS STEEL SPACER (OPTIONAL)

Model No.	Description
S90-X032	20" x 20" x 2-1/2" (508mm x 508mm x 64mm)
S90-X033	15" x 20" x 2-1/2" (381mm x 508mm x 64mm)

CASH DRAWER ASSEMBLIES



STAINLESS STEEL CASH DRAWER ASSEMBLY

Model No.	Description
S95-1000	Cash Drawer with Currency Tray
S95-Y001	Cash Drawer Without Currency Tray
S95-Y002	Currency Tray with Cover



BLACK EPOXY CASH DRAWER ASSEMBLY

Model No.	Description
CD-1000	Cash Drawer with Currency Tray
CD-Y004	Replacement Currency Tray



CAFETERIA ACCESSORIES



HEAVY-DUTY THERMOPLASTIC DRAWER PANS

Model No.	Nominal Dimensions	Flange Size
S80-1520	15" x 20" x 5" (381mm x 508mm x 127mm)	16-1/4" x 21-3/4" (415mm x 550mm)
S80-2020	20" x 20" x 5" (508mm x 508mm x 127mm)	21-3/4" x 21-3/4" (550mm x 550mm)

Packaged 6 to a master carton



STAINLESS STEEL DRAWER PANS

Model No.	Nominal Dimensions	Flange Size
S81-1520-C	15" x 20" x 5" (381mm x 508mm x 127mm)	16 x 21-1/2" (406mm x 546mm)
S81-2020-C	20" x 20" x 5" (508mm x 508mm x 127mm)	21-1/2" x 21-1/2" (546mm x 546mm)

Packaged 6 to a master carton

NOTE: Other depths available upon application.



STAINLESS STEEL 3-RAIL TRAY SLIDE BRACKET

Model No.	Description
J19-4960	Saddles Based on 4" (102mm) Centers

Load Capacity: 200 lbs per 2 brackets



HEAVY DUTY FOLDING REMOVABLE SHELF BRACKET

Model No.	Description
J17-4270	Chrome Plated Die Cast Bracket with 14 ga (2mm) Zinc Plate Steel Mount
J17-4273	Chrome Plated Die Cast Bracket with 300 Series Stainless Steel Mount

Load Capacity: 200 lbs per 2 brackets



STAINLESS STEEL FOLD DOWN 3-RAIL TRAY SLIDE BRACKET

Model No.	Description
J19-4955	Saddles Based on 4" (102mm) Centers

Load Capacity: 150 lbs per 2 brackets



STAINLESS STEEL FOLD DOWN SHELF BRACKET

Model No.	Description
J19-4967	1-1/4" W Top Plate for Affixing Shelf

Load Capacity: 200 lbs per 2 brackets

CANOPY HOOD ACCESSORIES



**TYPE VI STAINLESS STEEL
BAFFLE GREASE FILTERS**

Model No.	Size
FR51-1620	16" x 20" (406mm x 508mm)
FR51-2016	20" x 16" (508mm x 406mm)
FR51-2025	20" x 25" (508mm x 635mm)
FR51-1625	16" x 25" (406mm x 635mm)
FR51-2020	20" x 20" (508mm x 508mm)

6 per box



**TYPE VI ALUMINUM
BAFFLE GREASE FILTERS**

Model No.	Size
FA51-1620	16" x 20" (406mm x 508mm)
FA51-2016	20" x 16" (508mm x 406mm)
FA51-2025	20" x 25" (508mm x 635mm)
FA51-1625	16" x 25" (406mm x 635mm)
FA51-2020	20" x 20" (508mm x 508mm)

6 per box



**TYPE VI GALVANIZED
BAFFLE GREASE FILTERS**

Model No.	Size
FG51-1620	16" x 20" (406mm x 508mm)
FG51-2016	20" x 16" (508mm x 406mm)
FG51-2025	20" x 25" (508mm x 635mm)
FG51-1625	16" x 25" (406mm x 635mm)
FG51-2020	20" x 20" (508mm x 508mm)

6 per box



STAINLESS STEEL CAP STRIP AND DIVIDER BAR

Model No.	Description
J63-1451	Cap Strip, 400 Series, Bright Finish, 7' (2.1m)
J63-1451-8	Cap Strip, 400 Series, Bright Finish, 8' (2.4m)
J63-1451-9	Cap Strip, 400 Series, Bright Finish, 9' (2.7m)
J63-1451-10	Cap Strip, 400 Series, Bright Finish, 10' (3m)
J64-1450	Divider Bar, 400 Series, Bright Finish, 7' (2.1m)
J64-1450-8	Divider Bar, 400 Series, Bright Finish, 8' (2.4m)
J64-1450-9	Divider Bar, 400 Series, Bright Finish, 9' (2.7m)
J64-1450-10	Divider Bar, 400 Series, Bright Finish, 10' (3m)



**STAINLESS STEEL EXTENDED WIDE
CAP STRIP AND DIVIDER BAR**

Model No.	Description
J63-1651-78	Cap Strip, 400 Series, Satin Finish, 6.5' (2m)
J63-1651-120	Cap Strip, 400 Series, Satin Finish, 10' (3m)
J63-2651-84	Cap Strip, 300 Series, Satin Finish, 7' (2.1m)
J63-2651-120	Cap Strip, 300 Series, Satin Finish, 10' (3m)
J64-1651-78	Divider Bar, 400 Series, Satin Finish, 6.5' (2m)
J64-1651-120	Divider Bar, 400 Series, Satin Finish, 10' (3m)
J64-2651-84	Divider Bar, 300 Series, Satin Finish, 7' (2.1m)
J64-2651-120	Divider Bar, 300 Series, Satin Finish, 10' (3m)



STAINLESS STEEL GREASE CUPS

Model No.	Description
F15-0019	Side Mount Cup
F15-2500-C	Key Hole Mount Cup with 10° Mounting Angle
F15-4000-C	Key Hole Mount Cup



LIGHTING & ELECTRICAL



RECESS MOUNT LED LIGHT FOR EXHAUST CANOPY HOODS

Model No.	Watts	Lumens	Kelvins	Operating Temp
LED-PL35-W	4	290	3000	-4°F to 104°F (-20°C to 40°C)

Note: Supplied with 48" (1220mm) 18AWG wires. Cut-out size required - 2.75" (70mm).



E-Z MOUNT INCANDESCENT CANOPY LIGHTING FIXTURES

Model No.	Description
L55-1004	Furnished with TUFF-SKIN* Coating; Thermal and Shock Resistant Tempered Glass Globe
L55-1024	Furnished with TUFF-SKIN* Coating; Thermal and Shock Resistant Tempered Glass Globe; Includes Wire Guard
L55-2004	Furnished with Thermal and Shock Resistant Tempered Glass Globe



LED APPLIANCE BULB AND LIGHT FOR REFRIGERATED APPLICATIONS

Model No.	Watts	Lumens	Kelvins	Operating Temp	Description
VXS-LEDN10PC	10	1040	4500	-20°F to 140°F (-30°C to 60°C)	Complete Fixture with Bulb and Globe
LED-PK100DD-C	10	800	6500		Cool White Bulb Only
LED-PK100DD-N	10	1100	5000		Natural White Bulb Only



VXS SERIES SURFACE MOUNT INCANDESCENT REFRIGERATION LIGHTING FIXTURE

Model No.	CSA Model No.	Description
VXS-100-GL	VXS-CSA-GL	Furnished with Glass Globe
VXS-100-GL-WG	VXS-CSA-GL-WG	Furnished with Glass Globe and Wire Guard



Cast Aluminum Electric Outlet Boxes

Model No.	Description
R58-1010	Single Faced
R58-1020	Double Faced

DRAIN ACCESSORIES



ENCORE STAINLESS STEEL DUO MINI BASKET DRAINS WITH COMBINATION REMOVABLE CRUMB CUP STOPPER

Model No.	Sink Opening	NPS	Face Flange Dia
E18-1824	1-7/8" (48mm)	1-1/2"	2-7/8" (73mm)



ENCORE BRASS AND NICKEL PLATED BRASS TAILPIECE ASSEMBLIES FOR 1-1/2" (38mm) AND 2" (51mm) DRAINS

Model No.	Size	Length	Material
E22-4120	1-1/2" NPS	4" (102mm)	Brass
E22-4121	1-1/2" NPS	4" (102mm)	Brass N.P.

Note: All tailpieces are furnished with gasket and slipnut.



ENCORE LEVER HANDLE WASTE OUTLETS

Model No.	Drain Type	Sink Opening Dia.	NPS*	Face Flange Dia.	Strainer Type
D10-7400	Capped Overflow	3-1/2" (89mm)	2"	4-1/2" (114mm)	Flat
D10-7415	Overflow Assembly	3-1/2" (89mm)	2"	4-1/2" (114mm)	Flat

*Includes reducer for 1-1/2" NPS



ENCORE DRAIN MASTER AND QUIK-FLO ROTARY DRAINS

Model No.	Description
DSS-8000-X	Type 316 S/S
DBN-8000-Z	Nickel Plated Brass



ENCORE STAINLESS STEEL DUO BASKET DRAINS WITH COMBINATION REMOVABLE CRUMB CUP STOPPER

Model No.	Sink Opening	NPS	Face Flange Dia
E38-1010	3.5 (89mm)	1-1/2"	4-1/2" (114mm)
E38-1012	3.5 (89mm)	1-1/2"	4-1/2" (114mm)



ENCORE UNIVERSAL S/S DRAIN HANDLE SUPPORT AND TOOL

Model No.	Description
D50-1000	Lever Handles
D50-2001	Twist/Rotary Handles
D10-T001	For Installation/Repairs



ENCORE TWIST HANDLE WASTE OUTLETS

Model No.	Drain Type	Sink Opening Dia.	NPS*	Face Flange Dia.	Strainer Type
D50-7200	Capped Overflow	3-1/2" (89mm)	2"	4-1/2" (114mm)	Flat
D50-7215	Overflow Assembly	3-1/2" (89mm)	2"	4-1/2" (114mm)	Flat

*Includes reducer for 1-1/2" NPS



TOP-LINE WASTE OUTLETS

Model No.	Sink Opening Dia.	NPS*	Face Flange Dia.	Strainer Type	Handle Type
D55-7510	3-1/2" (89mm)	2"	4-1/2" (114mm)	Flat	Twist
D15-7510	3-1/2" (89mm)	2"	4-1/2" (114mm)	Flat	Lever



800-526-3694



800-513-3078



**COMPONENT
HARDWARE**

SINK BOWLS



14 GAUGE FABRICATED SINK BOWL

Model No.	Bowl Size L x W x D	Cut-Out Size Req'd L x W	Gauge
FB14-162014	16" x 20" x 14" (406 x 508 x 356mm)	16-3/16" x 20-3/16" (411 x 513mm)	14
FB14-182414	18" x 24" x 14" (457 x 610 x 356mm)	18-3/16" x 24-3/16" (462 x 614mm)	14
FB14-202014	20" x 20" x 14" (508 x 508 x 356mm)	20-3/16" x 20-3/16" (513 x 513mm)	14
FB14-202414	20" x 24" x 14" (508 x 610 x 356mm)	20-3/16" x 24-3/16" (513 x 614mm)	14
FB14-242414	24" x 24" x 14" (610 x 610 x 356mm)	24-3/16" x 24-3/16" (614 x 614mm)	14

For additional technical information visit our website for specification sheets.



16 GAUGE FABRICATED SINK BOWL

Model No.	Bowl Size L x W x D	Cut-Out Size Req'd L x W	Gauge
FB16-101410	10" x 14" x 10" (254 x 356 x 254mm)	10-3/16" x 14-3/16" (259 x 360mm)	16
FB16-121410	12" x 14" x 10" (305 x 356 x 254mm)	12-3/16" x 14-3/16" (310 x 360mm)	16
FB16-162012	16" x 20" x 12" (406 x 508 x 305mm)	16-3/16" x 20-3/16" (411 x 513mm)	16
FB16-181812	18" x 18" x 12" (457 x 457 x 305mm)	18-3/16" x 18-3/16" (462 x 462mm)	16
FB16-182414	18" x 24" x 14" (457 x 610 x 356mm)	18-3/16" x 24-3/16" (462 x 614mm)	16
FB16-202012	20" x 20" x 12" (508 x 508 x 305mm)	20-3/16" x 20-3/16" (513 x 513mm)	16

For additional technical information visit our website for specification sheets.



FABRICATED PRE-RINSE SINK

Model No.	Bowl Size L x W x D	Gauge	Cut-Out Size Req'd L x W	Type
FB80-2020	20" x 20" x 6" (508 x 508 x 152mm)	14	20-3/16" x 20-3/16" (513 x 513mm)	Fabricated
FB80-X015	Scrap Basket Only	14	—	Fabricated
E80-2020	21-3/4" x 21-3/4" x 8-1/2" (552 x 552 x 216mm)	18	21-3/4" x 21-3/4" (552 x 552mm)	Deep Drawn
E80-X010	Stainless Steel Sink Only	18	—	Deep Drawn
E80-X015	Scrap Basket Only	18	—	Deep Drawn

Sink provided with 3-1/2" (89mm) Dia. drain opening. Basket is provided with hole spacing pattern as illustrated. All holes are 1/4" (6.5mm) Dia.

For additional technical information visit our website for specification sheets.



DEEP DRAWN PRE-RINSE SINK

HANDSINKS & WATER STATIONS



**ENCORE COMPLETE WATER STATION
WITH GLASS FILLER**

Model No.	Size
K27-1000	8" (203mm) Riser



ENCORE GLASS FILLER

Model No.	Size
KL26-5000-Z	8" (203mm) Riser
KL26-5012-Z	12" (305mm) Riser



ENCORE DIPPERWELL ASSEMBLY

Model No.	Description
K30-1000	Without Faucet
K30-1010	With Faucet
KL22-3100-Z	Faucet Only, 360° Rotation



**INTELLI-FLO ELECTRONIC HAND SINK
WITH SIDE SPLASH**

Thermostatic Mixing Valve	Power	Aerator
KE28-B031-CA1	Battery	0.5GPM PCA Spray, Vandal Resistant
KE28-B131-CA1	AC/DC*	0.5GPM PCA Spray, Vandal Resistant
KE28-B031-CB1	Battery	1.5GPM Laminar Flow, Antimicrobial and Vandal Resistant
KE28-B131-CB1	AC/DC*	1.5GPM Laminar Flow, Antimicrobial and Vandal Resistant

*Includes 9V 800 mA UL listed adapter, US plug.



**INTELLI-FLO ELECTRONIC HAND SINK
WITHOUT SIDE SPLASH**

Thermostatic Mixing Valve	Power	Aerator
KE25-B031-CA1	Battery	0.5GPM PCA Spray, Vandal Resistant
KE25-B131-CA1	AC/DC*	0.5GPM PCA Spray, Vandal Resistant
KE25-B031-CB1	Battery	1.5GPM Laminar Flow, Antimicrobial and Vandal Resistant
KE25-B131-CB1	AC/DC*	1.5GPM Laminar Flow, Antimicrobial and Vandal Resistant

*Includes 9V 800 mA UL listed adapter, US plug.



HANDSINKS



ENCORE STAINLESS STEEL WALL MOUNTED HANDSINK WITH SIDE SPLASH

Model	Size
FS17D-1410-05XZ	10"L x 14"W x 5"D (254mm x 356mm x 127mm)



ENCORE STAINLESS STEEL SPACE SAVER WALL MOUNTED HANDSINK

Model	Size
FS18-090905B2	9"L x 9"W x 5"D (229mm x 229mm x 127mm)



ENCORE STAINLESS STEEL WALL MOUNTED HANDSINKS

Model No.	Description	Size
FS2010145B1XZ	Single Splash Mounting Hole	10"L x 14"W x 5"D (254mm x 356mm x 127mm)
FS2010145B2XZ	Double Splash Mounting Hole	10"L x 14"W x 5"D (254mm x 356mm x 127mm)
FS2010145D2XZ	Double Deck Mounting Hole	10"L x 14"W x 5"D (254mm x 356mm x 127mm)



ENCORE STAINLESS STEEL WALL MOUNTED HANDSINK WITH SIDE SPLASH AND SPLASH MOUNT FAUCET

Model	Faucet
FS17D141005K3	TLL15-4000SE1
FS17D-14105H1	KHS15-4000



ENCORE STAINLESS STEEL SPACE SAVER WALL MOUNTED HANDSINK WITH SPLASH MOUNT FAUCET

Model	Faucet
FS18-090905L3	TLL15-4000SE1
FS18-090905H1	KHS15-4000



ENCORE STAINLESS STEEL WALL MOUNTED HANDSINK WITH SPLASH MOUNT FAUCET AND MINI BASKET DRAIN

Model	Faucet
FS20-101405K5	TLL15-4000SE1
FS20-101405H1	KHS15-4000



ENCORE STAINLESS STEEL WALL MOUNTED HANDSINK WITH DECK MOUNT FAUCET

Model	Faucet
FS20-101405H2	KHS11-4000
FS20-10145DK1	TLL11-4000SE1



**ENCORE SINGLE HOLE DECK MOUNT
PRE-RINSE WITH WALL BRACKET
AND POWERPULSE SPRAY HEAD**

Model No.	Description
KLP50-10L4-BR	1.05gpm



**ENCORE WALL MOUNT, 8" (203MM)
ADJUSTABLE CENTERS PRE-RINSE WITH WALL
BRACKET AND POWERPULSE SPRAY HEAD**

Model No.	Description
KLP53-10L4-BR	1.05gpm



**ENCORE 8" WALL MOUNT FAUCET
WITH TUBULAR SPOUT**

Model No.	Spout Length	Valves
KL54-8008-SE1Z	8" (203mm)	Compression
KL54-8010-SE1Z	10" (254mm)	Compression
KL54-8012-SE1Z	12" (305mm)	Compression



**ENCORE 8" (203MM) ELEVATED BRIDGE
DECK MOUNT FAUCET WITH SWING SPOUT**

Model No.	Spout Length	Valves
KL61-8008-SE1Z	8" (203mm)	Compression
KL61-8012-SE1Z	12" (305mm)	Compression



**ENCORE 4" DECK MOUNT FAUCET
WITH SWING SPOUT**

Model No.	Spout Length	Valves
KL41-4000-SE1Z	3-1/2" (89 mm)	Compression
KL41-4002-SE1Z	6" (152mm)	Compression



**ENCORE SPLASH MOUNT SERVICE SINK
FAUCET WITH VACUUM BREAKER SPOUT**

Model No.	Spout Length	Valves
K77-8106-BR	Threaded Cast	Compression



**ENCORE ADD-ON FAUCET
WITH SWING SPOUT**

Model No.	Spout Length
KL55-7008-SE1Z	8" (203mm)
KL55-7012SE1Z	12" (305mm)



TOP-LINE PLUMBING



**TOP-LINE 8" (203mm) WALL MOUNT
PRE-RINSE WITH WALL BRACKET**

Model No.	Description
TLL13-1100-BRZ	1.15gpm



**TOP-LINE SINGLE HOLE DECK MOUNT
PRE-RINSE WITH WALL BRACKET**

Model No.	Description
TLL50-1100-BRZ	1.15gpm



**TOP-LINE 8" (203mm) WALL MOUNT
WITH SWING SPOUT AND
LEVER HANDLES**

Model No.	Spout Length
TLL13-8108-SE1Z	8" (203mm)
TLL13-8112-SE1Z	12" (305mm)



**TOP-LINE 4" (102mm) WALL MOUNT
WITH GOOSENECK SPOUT
AND KNOB HANDLES**

Model No.	Spout Size
TLL15-4102-SE1Z	6" (152mm)



TOP-LINE ADD-ON FAUCET WITH SPOUT

Model No.	Spout Length
TLL55-7008-SE1Z	8" (203mm)
TLL55-7010-SE1Z	10" (254mm)
TLL55-7012-SE1Z	12" (305mm)



MOVABLE FOODSERVICE GAS HOSE

Model No.	Connection Size	Hose Length
GHM-012H36	1/2"	36"
GHM-012H48		40"
GHM-012H60		60"
GHM-012H72		72"
GHM-034H36	3/4"	36"
GHM-034H48		40"
GHM-034H60		60"
GHM-034H72		72"
GHM-100H36	1"	36"
GHM-100H48		40"
GHM-100H60		60"
GHM-100H72		72"



MOVABLE GAS HOSE CONNECTOR KITS

Model No.	Connection Size	Hose Length
GHM-012KTU136	1/2"	36"
GHM-012KTU148		40"
GHM-012KTU160		60"
GHM-012KTU172		72"
GHM-034KTU136	3/4"	36"
GHM-034KTU148		40"
GHM-034KTU160		60"
GHM-034KTU172		72"
GHM-100KTU136	1"	36"
GHM-100KTU148		40"
GHM-100KTU160		60"
GHM-100KTU172		72"

Includes:

- Gas Hose
- Restraining Cable Kit
- Quick Disconnect
- (2) 90° Elbows
- Shut-Off Ball Valve



FULL PORT BALL VALVE

- Ball valve is required by code to allow for manual shutoff within 5 ft. of appliance

Model No.	Size
GHM-SOV012	1/2"
GHM-SOV034	3/4"
GHM-SOV100	1"

360° SWIVEL CONNECTOR

- Allows gas hose to swivel in tight areas and reduces stress on the hose from bending
- Full gas flow with no restriction
- 360 degree full rotation

Model No.	Size
GHM-SW012	1/2"
GHM-SW034	3/4"
GHM-SW100	1"

QUICK DISCONNECT

- Allow for easy disconnect to move equipment for maintenance and cleaning

Model No.	Size
GHM-QD012	1/2"
GHM-QD034	3/4"
GHM-QD100	1"

RESTRAINING KIT

- Restraining kit will be 12" shorter than hose length

Model No.	Size
GHM-RC21	21"
GHM-RC36	36"
GHM-RC48	48"

90° ELBOWS - US

- Allow for versatility in tight conditions

Model No.	Size
GHM-90EUS012	1/2"
GHM-90EUS034	3/4"
GHM-90EUS100	1"

WELDING & DRILLING SUPPLIES



REF. A COPPER FLASHED WELD STUDS CD TYPE

Model No.	Size	Length
Q36-1010	10-24	3/8" (9mm)
Q36-1012	10-24	1/2" (13mm)
Q36-1014	10-24	3/4" (19mm)

NOTE: Other sizes (in quantity)

COMBINATION LOCKNUT HEX NUT/LOCKWASHER

Size	Ref.	Model No.	Size	Material
	E*	Q34-1024	10-24	Zinc Plated
	F*	Q34-2024	10-24	Bright Nickel
	G	Q32-1420	1/4-20	Zinc Plated

*Internal screw height clearance of 1/2" (13mm)

REF. I STAINLESS STEEL CAP NUTS

Model No.	Size	Internal Screw Height Clearance
Q31-1024	10-24	5/16" (8mm)
Q31-1420	1/4-20	3/8" (9.5mm)

THREADLESS WELD STUDS 18-8 STAINLESS STEEL

Ref.	Model No.	Size
B	Q37-1412	1/4" Dia. x 1/2" Lg. (6mm Dia. x 13mm LG.)
C	Q37-3162	3/16" Dia. X 1/2" Lg. (4.7mm Dia. X 13mm Lg.)

REF. D KEYHOLE WELD STUDS

Model No.	Material
Q37-0250	Stainless Steel

REF. H STAINLESS STEEL WELD STUDS CD TYPE 18-8 STAINLESS STEEL

Model No.	Size	Length
Q36-1110	10-24	3/8" (9mm)
Q36-1112	10-24	1/2" (13mm)
Q36-1114	10-24	3/4" (19mm)

NOTE: Other sizes (in quantity)

REF. J STAINLESS STEEL BLIND RIVETS 1/8" (3mm) DIA. DOMED HEAD

Model No.	Grip Range	Rivet Length
Q45-4200	.062 - .125 (1.5mm - 3mm)	.275 (7mm)
Q45-4300	.126 - .187 (3mm - 5mm)	.337 (8.5mm)
Q45-4400	.188 - .250 (5mm - 6mm)	.400 (10mm)
Q45-4600	.315 - .375 (8mm - 9.5mm)	.525 (13mm)
Q45-4800	.376 - .500 (9.5mm - 13mm)	.600 (15mm)



TACKY TAPE

Model No.	Description
Q85-5225	Roll Size: 3/4" Wide X 3/32" Thick X 45 Ft. (19mm x 2mm x 14m)

24 rolls per case



FOOD GRADE SILICONE SEALANT

Model No.	Description
M90-1010	Clear, 10.3 oz
M90-1012	Aluminum, 10.3 oz
M90-1014	White, 10.3 oz



BRITE GARD™ STAINLESS STEEL CLEANER/PROTECTANT

Model No.	Description
Q85-2016	16 oz Bottle



TUNGSTEN ELECTRODES 2% THORIATED, GROUND

Model No.	Description
MK-1600-E	1/16" Dia. x 7" Lg. (2mm x 180mm)
MK-3320-E	3/32" Dia. x 7" Lg. (2mm x 180mm)

NOTE: Each package contains 10 electrodes



TUFF BRAKE FILM

Model No.	Description
Q80-4000	Roll Size: 4" Wide X 100' Long X .015" (102mm x 30.5m x .4mm)



DEBURRING TOOL

Model No.	Description
DBR-1000	Adjustable with Hand Guard

TERMS & CONDITIONS

Terms of Payment - NET 30 days subject to satisfactory credit arrangements. (No shipments will be made to accounts which are in arrears.)

Deliveries - Component Hardware® is not responsible for delays in deliveries due to circumstances beyond our control such as fires, strikes, transportation delays, material shortages, accidents or other contingencies of similar nature.

Returned Merchandise - No returned goods will be accepted without permission. A Returned Goods Authorization number is required prior to return, which can be obtained by calling Component Hardware at 800-526-3694. All returns must have the RGA Number posted on the exterior of all associated cartons.

No item will be accepted for return six months after invoice date. Freight charges for returned goods must be prepaid. All returned goods are subject to a 25% restocking charge and must be in complete and resalable condition. Items made to customers' specifications or specially ordered goods are not returnable.

Shortages - Any claims for shortage must be made immediately upon receipt of merchandise. Shortage claims will be invalid unless Component Hardware is notified in writing within 30 days of invoice date.

Special Products - If orders for items that are special (non-catalog) are cancelled, Component Hardware shall be reimbursed for any expense incurred in the purchase of raw or finished material and further processing thereof.

Product Changes - Although all items will be furnished as described unless otherwise indicated. However, we reserve the right to alter, modify, or redesign products without creating any liability for the obsolescence of customer inventories.

Taxes - Any federal, state or city taxes applicable will be added to prices shown. Clerical and printing errors and omissions are subject to correction. No representative, dealer, distributor or any other person is authorized or permitted to obligate this corporation to any liability, not strictly in accordance with the above policies.

LIMITED WARRANTY

PLEASE READ THIS LIMITED WARRANTY BEFORE INSTALLING OR USING ANY ENCORE® PRODUCT. IF THESE TERMS ARE NOT ACCEPTABLE TO YOU, IMMEDIATELY RETURN THE PRODUCT TO COMPONENT HARDWARE GROUP, INC. BEFORE INSTALLATION OR USE.

Component Hardware offers a three year warranty on all Encore Premium pre-rinses and electronic faucets. We offer a two year warranty on all other Encore products, with the exception of our commercial hoses, which carry a one year warranty. All TOP-LINE® products carry a one year warranty.

Encore premium plumbing products are manufactured to a rigid code of quality standards and subjected to extensive testing prior to shipment. We assure that each product leaves our factory in perfect working order. With proper care, Encore products will provide the user with years of satisfying service.

Component Hardware warrants to the original purchaser (other than for purposes of resale) of any Encore brand product that such product is free from defects in workmanship and materials for the warranty period from the original date of purchase. During this limited warranty period, if this product is found to be defective, Component Hardware will, at its option, repair and/or replace it. To obtain warranty service, products must be returned to Component Hardware Group using the aforementioned procedure for Returned Merchandise. Shipping, freight, insurance and other transportation charges of the returned product to Component Hardware and the return of the repaired or replaced product to the purchaser are the responsibility of the purchaser. Replacement and/or repair under this warranty shall be made within a responsible time after receipt by Component Hardware of the returned product.

Any express warranty not provided herein and any remedy for breach of contract which but for this provision might arise by implication or operation of law, is hereby excluded and disclaimed. Any implied warranties of merchantability or fitness for a particular purpose are limited in duration to the above one-year period.

Under no circumstance shall Component Hardware be liable to purchaser or any other person for any loss of use of the product or any special or consequential costs, expenses or damages whether arising out of breach or warranty, breach of contract or otherwise incurred by the purchaser or any other user.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific rights and you may also have other rights which vary from state to state.



All photographs and illustrations are considered to be a representation of the actual item. In some cases there may be slight variations. This catalog, copy, part numbers and unique method of illustrating products is copyrighted by Component Hardware.
All rights reserved. No portion of this catalog may be reproduced in any form or by any means in whole or in part, without the written consent of Component Hardware. Component Hardware reserves the right to make any and all changes and to discontinue any of its products without notice. Not responsible for typographical errors.

© Copyright 2024 Component Hardware Group, Inc. CAT-FABQRG Rev. 01/2024



800-526-3694



800-513-3078



COMPONENT
HARDWARE

Your Global Partner for Innovative Solutions.



**90 Matawan Rd, Suite 202, Matawan, NJ 07747
800-526-3694**



**150 Shields Court, Markham Ontario, L3R 9T5
800-513-3078**

www.componenthardware.com



**COMPONENT
HARDWARE®**