



Canopy Hood Accessories

Price List Effective

October 2018

Model	2018 List Price	Description	Selling Unit	Per Case	Product Height	Product Width	Product Depth	Shipping Weight
750002	\$178.28	Gasket Repair Lit	ea	1				3.5
151016	\$162.07	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 10"H x 16"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	1	9.5	15.5	1.75	7.4
151020	\$162.07	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 10"H x 20"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	9.5	19.5	1.75	9.1
151216	\$162.07	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 12"H x 16"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	11.5	15.5	1.75	8.4
151218	\$167.47	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 12"H x 18"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	11.5	17.5	1.75	9.3
151220	\$178.28	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 12"H x 20"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	11.5	19.5	1.75	10.1
151224	\$189.08	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 12"H x 24"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	11.5	23.5	1.75	12.75
151616	\$167.47	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 16"H x 16"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	15.5	15.5	1.75	10
151620	\$172.88	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 16"H x 20"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	15.5	19.5	1.75	12.65
151625	\$178.28	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 16"H x 25"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	15.5	24.5	1.75	16
152010	\$162.07	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 20"H x 10"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	19.5	9.5	1.75	9.4
152016	\$172.88	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 20"H x 16"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	19.5	15.5	1.75	12.65

Model	2018 List Price	Description	Selling Unit	Per Case	Product Height	Product Width	Product Depth	Shipping Weight
152020	\$178.28	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 20"H x 20"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	19.5	19.5	1.75	15
152025	\$190.92	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 20"H x 25"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	19.5	24.5	1.75	17.9
152516	\$178.28	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 25"H x 16"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	24.5	15.5	1.75	14.55
152520	\$189.08	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 25"H x 20"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	24.5	19.5	1.75	18.2
201016	\$140.46	Flame Gard® Baffle Filter, stainless steel, Type II, 10"H x 16"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	9.5	15.5	1.88	5.5
201020	\$140.46	Flame Gard® Baffle Filter, stainless steel, Type II, 10"H x 20"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	9.5	19.5	1.88	6
201216	\$140.46	Flame Gard® Baffle Filter, stainless steel, Type II, 12"H x 16"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	11.5	15.5	1.88	6.5
201220	\$140.46	Flame Gard® Baffle Filter, stainless steel, Type II, 12"H x 20"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	11.5	19.5	1.88	7
201616	\$145.86	Flame Gard® Baffle Filter, stainless steel, Type II, 16"H x 16"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	15.5	15.5	1.88	8
201620	\$160.99	Flame Gard® Baffle Filter, stainless steel, Type II, 16"H x 20"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	15.5	19.5	1.88	8.5
201625	\$163.15	Flame Gard® Baffle Filter, stainless steel, Type II, 16"H x 25"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	15.5	24.5	1.88	10.5
202016	\$157.75	Flame Gard® Baffle Filter, stainless steel, Type II, 20"H x 16"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	19.5	15.5	1.88	6.5
202020	\$179.36	Flame Gard® Baffle Filter, stainless steel, Type II, 20"H x 20"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	19.5	19.5	1.88	10.25
202025	\$196.65	Flame Gard® Baffle Filter, stainless steel, Type II, 20"H x 25"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	19.5	24.5	1.88	12

Model	2018 List Price	Description	Selling Unit	Per Case	Product Height	Product Width	Product Depth	Shipping Weight
202516	\$163.15	Flame Gard® Baffle Filter, stainless steel, Type II, 25"H x 16"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	24.5	15.5	1.88	11.5
202520	\$196.65	Flame Gard® Baffle Filter, stainless steel, Type II, 25"H x 20"W nominal size, 1-7/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	4	24.5	19.5	1.88	12
300001	\$0.86	Bail Handle Replacements, for Flame Gard® Type III baffle grease filters	ea	1				
301016	\$68.07	Flame Gard® Baffle Filter, stainless steel, Type III, 10"H x 16"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	9.5	15.5	1.63	
301020	\$68.07	Flame Gard® Baffle Filter, stainless steel, Type III, 10"H x 20"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	9.5	19.5	1.63	
301216	\$68.07	Flame Gard® Baffle Filter, stainless steel, Type III, 12"H x 16"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	11.5	15.5	1.63	
301220	\$85.36	Flame Gard® Baffle Filter, stainless steel, Type III, 12"H x 20"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	11.5	19.5	1.63	
301616	\$79.95	Flame Gard® Baffle Filter, stainless steel, Type III, 16"H x 16"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	15.5	15.5	1.63	
301620	\$96.16	Flame Gard® Baffle Filter, stainless steel, Type III, 16"H x 20"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	15.5	19.5	1.63	
301625	\$108.05	Flame Gard® Baffle Filter, stainless steel, Type III, 16"H x 25"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	15.5	24.5	1.63	
301818	\$106.97	Flame Gard® Baffle Filter, stainless steel, Type III, 18"H x 18"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	8	17.5	17.5	1.63	
302016	\$96.16	Flame Gard® Baffle Filter, stainless steel, Type III, 20"H x 16"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	19.5	15.5	1.63	
302020	\$102.64	Flame Gard® Baffle Filter, stainless steel, Type III, 20"H x 20"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	19.5	19.5	1.63	
302025	\$130.74	Flame Gard® Baffle Filter, stainless steel, Type III, 20"H x 25"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	19.5	24.5	1.63	
302516	\$106.97	Flame Gard® Baffle Filter, stainless steel, Type III, 25"H x 16"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	4	24.5	15.5	1.63	
302520	\$130.74	Flame Gard® Baffle Filter, stainless steel, Type III, 25"H x 20"W nominal size, 1-5/8" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	24.5	19.5	1.63	

Model	2018 List Price	Description	Selling Unit	Per Case	Product Height	Product Width	Product Depth	Shipping Weight
750505-C	\$136.14	Flame Gard® Access Door, curved, high-temp gasket rated to 2300°F, 5" x 5" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		6.56	6.75	
750511-C	\$136.14	Flame Gard® Access Door, curved, high-temp gasket rated to 2300°F, 5" x 11" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1	0	6.5	12.75	
750517-C	\$181.52	Flame Gard® Access Door, curved, high-temp gasket rated to 2300°F, 5" x 17" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		6.5	18.75	
750606	\$90.76	Flame Gard® Access Door, flat, high-temp gasket rated to 2300°F, 6" x 6" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		8	8	
750707	\$85.36	Flame Gard® Access Door, flat, high-temp gasket rated to 2300°F, 7" x 7" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1	0.5	10	10	
750710	\$85.36	Flame Gard® Access Door, flat, high-temp gasket rated to 2300°F, 7" x 10" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		7	10	
750712	\$102.64	Flame Gard® Access Door, flat, high-temp gasket rated to 2300°F, 7" x 12" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1	0.5	10	15	
750715	\$102.64	Flame Gard® Access Door, flat, high-temp gasket rated to 2300°F, 7" x 15" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		7	15	
750720	\$130.74	Flame Gard® Access Door, flat, high-temp gasket rated to 2300°F, 7" x 20" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1	0.5	10	23	
750723	\$130.74	Flame Gard® Access Door, flat, high-temp gasket rated to 2300°F, 7" x 23" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		7	23	
750808-C	\$136.14	Flame Gard® Access Door, curved, high-temp gasket rated to 2300°F, 8" x 8" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		9.5	9.75	
750811-C	\$170.17	Flame Gard® Access Door, curved, high-temp gasket rated to 2300°F, 8" x 11" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		9.5	12.75	
750817-C	\$170.17	Flame Gard® Access Door, curved, high-temp gasket rated to 2300°F, 8" x 17" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		9.5	18.75	
750823-C	\$176.12	Flame Gard® Access Door, curved, high-temp gasket rated to 2300°F, 8" x 23" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		9.5	24.75	
751117-C	\$181.52	Flame Gard® Access Door, curved, high-temp gasket rated to 2300°F, 11" x 17" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		12.5	18.75	
751123-C	\$193.40	Flame Gard® Access Door, curved, high-temp gasket rated to 2300°F, 11" x 23" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1		12.5	24.75	

Model	2018 List Price	Description	Selling Unit	Per Case	Product Height	Product Width	Product Depth	Shipping Weight
751212	\$118.85	Flame Gard® Access Door, flat, high-temp gasket rated to 2300°F, 12" x 12" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1	0.5	15	15	
751220	\$158.83	Flame Gard® Access Door, flat, high-temp gasket rated to 2300°F, 12" x 20" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1	0.5	15	23	
751620	\$170.71	Flame Gard® Access Door, flat, high-temp gasket rated to 2300°F, 16" x 20" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1	0.5	19	23	
751717-C	\$209.61	Flame Gard® Access Door, curved, high-temp gasket rated to 2300°F, 17" x 17" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1	0	18.5	18.5	
751723-C	\$226.90	Flame Gard® Access Door, curved, high-temp gasket rated to 2300°F, 17" x 23" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1	0	18.5	24.75	
752020	\$170.71	Flame Gard® Access Door, flat, high-temp gasket rated to 2300°F, 20" x 20" nominal hole size, 16 gauge stainless steel construction, cULus Fire Rated	ea	1	0.5	23	23	
760804-D14	\$29.17	Make-Up Air Duct Access Panel 4" x 8"	ea	1				4
ACC-10X6	\$65.91	Hi-Temp Access Door, high-temp gasket rated to 2300°F, 10" x 6" normal size	ea	1				
ACC-12X8	\$81.04	Hi-Temp Access Door, high-temp gasket rated to 2300°F, 12" x 8" normal size	ea	1				
ACC-18X14	\$118.85	Hi-Temp Access Door, high-temp gasket rated to 2300°F, 18" x 14" normal size	ea	1				
EFI-UB	\$786.75	Flame Gard® Grease Interceptor, 24-1/8"W x 15-13/16"D x 7-1/2"H, 7.1 gallon capacity, 3/4" GHT, 304 stainless steel, UL (meets all NFPA 96 requirements)	ea	1	7.5	24.13	15.81	22
F11-0012	\$10.80	Quick-Tite Standard Fitting 1/2" NPT Pipe	ea	24				0.35
F11-0012A	\$10.80	Corner Pully 7/8-20 x 1/2" NPT	ea	8				0.97
F11-0012B	\$7.56	Corner Pully 15/16"-20 x 1/2 NPT	ea	8				1.18
F11-0014	\$9.70	Quick-Tite Standard Fitting 1/4" NPSM Pipe	ea	24				0.15
F11-0034	\$16.26	Quick-Tite Standard Fitting 3/4" NPT Pipe	ea	12				0.52
F11-0038	\$9.70	Quick-Tite Standard Fitting 3/8" NPT Pipe	ea	24				0.36
F11-0038A	\$8.65	Quick-Tite Standard Fitting 3/8" NPSM Pipe	ea	24				0.21
F11-0100	\$27.01	Quick-Tite Standard Fitting 1" NPT Pipe	ea	8				0.852
F11-0112	\$54.02	Quick-Tite Standard Fitting 1 1/2" NPT Pipe	ea	8				1.18
F11-0114	\$27.01	Quick-Tite Standard Fitting 1 1/4" NPT Pipe	ea	8				0.97
F12-0034	\$10.80	Quick-Tite Hole Plug 3/4" to 7/8"	ea	24				0.3
F12-0078	\$10.80	Quick-Tite Hole Plug 7/8" to 1"	ea	24				0.4
F12-0118	\$10.80	Quick-Tite Hole Plug 1 1/8" to 1 5/16"	ea	12				0.7
F12-0138	\$16.21	Quick-Tite Hole Plug 1 3/8" to 1 9/16"	ea	12				0.12
F12-0158	\$21.61	Quick-Tite Hole Plug 1 5/8" to 1 7/8"	ea	6				0.21
F15-0019	\$14.05	Flame Gard® Grease Cup, side mount, 6-3/4"L x 4-1/2"W x 2-1/2"D, removable, stainless steel, NSF	ea	1				
F15-1000P	\$54.02	Quick-Tite Compression Fitting 1" Pipe	ea	8				1.18
F15-2500-C	\$21.61	Flame Gard® Grease Cup, keyhole mount, 6-3/4"L x 4"W x 2-1/2"D, removable, stainless steel, NSF	ea	1				

Model	2018 List Price	Description	Selling Unit	Per Case	Product Height	Product Width	Product Depth	Shipping Weight
F15-250T	\$16.21	Quick-Tite Compression Fitting 1/4" Tube	ea	24				0.15
F15-375T	\$16.21	Quick-Tite Compression Fitting 3/8" Tube	ea	24				0.36
F15-4000-C	\$18.37	Keyhole Mount Canopy Hood Grease Cup 4" x 6 5/8" x 4" Deep	ea					1
F15-500EMT	\$21.61	Quick-Tite Compression Fitting 1/2" EMT Conduit	ea	12				0.52
F15-500P	\$23.71	Quick-Tite Compression Fitting 1/2" Pipe	ea	8				0.852
F15-500T250P	\$17.31	Quick-Tite Compression Fitting 1/2" Tube & 1/4" Pipe	ea	24				0.21
F15-625T375P	\$21.61	Quick-Tite Compression Fitting 5/8" Tube & 3/8" Pipe	ea	24				0.35
F15-750P	\$32.41	Quick-Tite Compression Fitting 3/4" Pipe	ea	8				0.97
F40-0002	\$75.63	Filter Locking Handle Kit	ea	1				
FA51-1016	\$30.42	Flame Gard® Baffle Filter, 10"H x 16"W normal size, 1-3/4" thickness, fixed, aluminum, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	10	16	1.75	
FA51-1020	\$31.47	Flame Gard® Baffle Filter, 10"H x 20"W nominal size, 1-3/4" thickness, fixed, aluminum, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	10	20	1.75	
FA51-1216	\$31.47	Flame Gard® Baffle Filter, 12"H x 16"W nominal size, 1-3/4" thickness, fixed, aluminum, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	12	16	1.75	
FA51-1220	\$31.47	Flame Gard® Baffle Filter, 12"H x 20"W nominal size, 1-3/4" thickness, fixed, aluminum, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	12	20	1.75	
FA51-1616	\$35.67	Flame Gard® Baffle Filter, 16"H x 16"W nominal size, 1-3/4" thickness, fixed, aluminum, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	16	16	1.75	
FA51-1620	\$43.01	Flame Gard® Baffle Filter, 16"H x 20"W nominal size, 1-3/4" thickness, fixed, aluminum, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	16	20	1.75	
FA51-1625	\$44.06	Flame Gard® Baffle Filter, 16"H x 25"W nominal size, 1-3/4" thickness, fixed, aluminum, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	16	25	1.75	
FA51-2016	\$43.01	Flame Gard® Baffle Filter, 20"H x 16"W nominal size, 1-3/4" thickness, fixed, aluminum, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	20	16	1.75	
FA51-2020	\$50.35	Flame Gard® Baffle Filter, 20"H x 20"W nominal size, 1-3/4" thickness, fixed, aluminum, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	20	20	1.75	
FA51-2025	\$59.79	Flame Gard® Baffle Filter, 20"H x 25"W nominal size, 1-3/4" thickness, fixed, aluminum, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	20	25	1.75	
FA51-2520	\$59.79	Flame Gard® Baffle Filter, 25"H x 20"W nominal size, 1-3/4" thickness, fixed, aluminum, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	25	20	1.75	
FG51-1016	\$29.37	Flame Gard® Baffle Filter, galvanized, 10"H x 16"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	10	16	1.75	
FG51-1020	\$29.37	Flame Gard® Baffle Filter, galvanized, 10"H x 20"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	10	20	1.75	

Model	2018 List Price	Description	Selling Unit	Per Case	Product Height	Product Width	Product Depth	Shipping Weight
FG51-1216	\$29.37	Flame Gard® Baffle Filter, galvanized, 12"H x 16"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	12	16	1.75	
FG51-1220	\$31.47	Flame Gard® Baffle Filter, galvanized, 12"H x 20"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	12	20	1.75	
FG51-1616	\$34.62	Flame Gard® Baffle Filter, galvanized, 16"H x 16"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	16	16	1.75	
FG51-1620	\$33.57	Flame Gard® Baffle Filter, galvanized, 16"H x 20"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	16	20	1.75	
FG51-1625	\$39.86	Flame Gard® Baffle Filter, galvanized, 16"H x 25"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	16	25	1.75	
FG51-2016	\$35.67	Flame Gard® Baffle Filter, galvanized, 20"H x 16"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	20	16	1.75	
FG51-2020	\$41.96	Flame Gard® Baffle Filter, galvanized, 20"H x 20"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	20	20	1.75	
FG51-2025	\$50.35	Flame Gard® Baffle Filter, galvanized, 20"H x 25"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	20	25	1.75	
FG51-2516	\$45.11	Flame Gard® Baffle Filter, galvanized, 25"H x 16"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	25	16	1.75	
FG51-2520	\$50.35	Flame Gard® Baffle Filter, galvanized, 25"H x 20"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	25	20	1.75	
FG74-0506	\$70.23	DURO Fan Kit, hinge	ea	1				
FG99-0005	\$12.97	Fan Access Panel	ea	1				1
FR51-1016	\$59.79	Flame Gard® Baffle Filter, stainless steel, 10"H x 16"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	10	16	1.75	
FR51-1020	\$60.84	Flame Gard® Baffle Filter, stainless steel, 10"H x 20"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	10	20	1.75	
FR51-1216	\$61.89	Flame Gard® Baffle Filter, stainless steel, 12"H x 16"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	12	16	1.75	
FR51-1220	\$72.38	Flame Gard® Baffle Filter, stainless steel, 12"H x 20"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	12	20	1.75	
FR51-1616	\$65.04	Flame Gard® Baffle Filter, stainless steel, 16"H x 16"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	16	16	1.75	

Model	2018 List Price	Description	Selling Unit	Per Case	Product Height	Product Width	Product Depth	Shipping Weight
FR51-1620	\$72.38	Flame Gard® Baffle Filter, stainless steel, 16"H x 20"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	16	20	1.75	
FR51-1625	\$80.77	Flame Gard® Baffle Filter, stainless steel, 16"H x 25"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	16	25	1.75	
FR51-2016	\$72.38	Flame Gard® Baffle Filter, stainless steel, 20"H x 16"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	20	16	1.75	
FR51-2020	\$81.82	Flame Gard® Baffle Filter, stainless steel, 20"H x 20"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	20	20	1.75	
FR51-2025	\$98.61	Flame Gard® Baffle Filter, stainless steel, 20"H x 25"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	20	25	1.75	
FR51-2516	\$80.77	Flame Gard® Baffle Filter, stainless steel, 25"H x 16"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	25	16	1.75	
FR51-2520	\$98.61	Flame Gard® Baffle Filter, stainless steel, 25"H x 20"W nominal size, 1-3/4" thickness, fixed, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	25	20	1.75	
FR51-X015	\$5.40	Filter Hook Kit, 1" x 2" x 2-1/4", stainless steel (2 each per pair)	pr	1				1
M90-0310	\$5.69	Silicone, 3 oz. tube, clear	ea	20				
M90-0312	\$5.36	Silicone, 3 oz. tube, aluminum	ea	20				
M90-0314	\$5.36	Silicone, 3 oz. tube, white	ea	20				
M90-1010	\$8.37	Silicone, 10.3 oz. tube, clear (10% Broken Case Fee added when ordered in less than case quantities)	ea	12				
M90-1012	\$8.37	Silicone, 10.3 oz. tube, aluminum (10% Broken Case Fee added when ordered in less than case quantities)	ea	12				
M90-1014	\$8.37	Silicone, 10.3 oz. tube, white (10% Broken Case Fee added when ordered in less than case quantities)	ea	12				
M90-1016	\$8.37	Silicone, 10.3 oz. tube, black (10% Broken Case Fee added when ordered in less than case quantities)	ea	12				
M90-1018	\$14.06	Silicone, 10.3 oz. tube, Hi-Temp red (10% Broken Case Fee added when ordered in less than case quantities)	ea	12				
MCD-116	\$162.07	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 10"H x 16"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	9.5	15.5	1.75	7.4
MCD-116-1.5	\$140.46	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 10"H x 16"W nominal size, 1-1/2" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	9.5	15.5	1.5	7.2
MCD-120	\$135.06	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 10"H x 20"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	9.5	19.5	1.75	9.1

Model	2018 List Price	Description	Selling Unit	Per Case	Product Height	Product Width	Product Depth	Shipping Weight
MCD-120-1.5	\$140.46	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 10"H x 20"W nominal size, 1-1/2" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	9.5	19.5	1.5	8.9
MCD-123	\$156.67	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 12"H x 24"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	11.5	23.5	1.75	13
MCD-126	\$135.06	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 12"H x 16"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	11.5	15.5	1.75	8.4
MCD-128	\$140.46	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 12"H x 18"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	6	11.5	17.5	1.75	9.3
MCD-133	\$167.47	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 13-1/2"H x 23-13/16"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	13	23.5	1.75	13
MCD-136	\$145.86	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 13-1/2"H x 16"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	13	15.5	1.75	10
MCD-139	\$162.07	Flame Gard® Baffle Filter, welded steel, Type I, with spark arrestor screen, 13-1/2"H x 19-1/2"W nominal size, 1-3/4" thickness, fixed, PTFE, cULus, NSF (10% Broken Case Fee added when ordered in less than case quantities)	ea	3	13	19	1.75	12
Q84-3200	\$34.58	Heavy Duty Duct Tape 2" x 60 Yards	ea	24				
Q84-4250	\$43.22	High Strength Aluminum Foil Tape 2 1/2" x 50 Yards	ea	16				



**COMPONENT
HARDWARE**

© Copyright 2018, Component Hardware
PL-CANOPYHOOD REV. 10/2018 Printed in the U.S.A.

All photographs and illustrations are considered to be a representation of the actual item. In some cases there may be slight variations. This catalog, copy, part numbers and unique method of illustrating products is copyrighted by Component Hardware All rights reserved. No portion of this catalog may be reproduced in any form or by any means in whole or in part, without the written consent of Component Hardware. Component Hardware reserves the right to make any and all changes and to discontinue any of its products without notice. Not responsible for typographical errors.